

Always the right combination!





Product Overview Sign & Digital



Contents

	_		
XF 7: Premium Signmaking Vinyl Series	1	JETREX Digital Print Media	21
- XF 7 Premium Series: Opaque gloss		JETREX for (eco-)solvent/UV inkjet	
- XF 7T Premium Series: Translucent		- JETREX XF 80 monomeric PVC	
XF 5: Intermediate Signmaking Vinyl Series	5	- JETREX XF 100 monomeric PVC	
- XF 5 Intermediate Series: Opaque matt		- JETREX XF 80P polymeric PVC - JETREX XF 50C cast PVC	
- XF 5T Intermediate Series: Transparent		- JETREX AF 50C Cast PVC - JETREX D-GF 202 BRILLIANT	
XF 3: Economy Signmaking Vinyl Series	9	- JETREX Speciality Media	
- XF 3 Gloss Economy Series: Opaque gloss		JETREX Green-Line	26
- XF 3 Matt Economy Series: Opaque matt		- Green-Line: JETREX XF PP 85-WMR	
DECOREX (Decorative & Effect Signmaking Films)	13	PVC-free polypropylene	
DECOREX (Decorative & Effect Signifiaking Films)		- Green-Line: JETREX XF PP 90-WGP PVC-free polypropylene	
D-GF Glass Decoration Films	15	т vo-nee розургоруюне	07
- D-GF Classic Line		JETREX Blockout	21
- D-GF Colour Line		- JETREX Blockout white/black	
- D-GF Sparkle Line		- JETREX Blockout creme-white/signal-white	
Carbon	17	JETREX X-art Wall Fleece	28
- Cast Carbon for 3D Car Wrapping		- X-art 150 and X-art 150S	
- Polymeric calendered Carbon		JETREX for water-based inks	
PROTEX Surface Protection Films	18	VISOREX Cold Over Laminating Films	29
MONTEX Application Tapes & Technical Films	19		24
- MONTEX Application Tapes		CONVEX Manual 3D Doming Kit	31
- MONTEX Technical Films		X-film Working Tools	32
- MONTEX Sandblast Films			

X-film Selbstklebefolien GmbH

Gerberstraße 2 51789 Lindlar, GERMANY

Phone: +49 (0)2266 47785-0 Fax: +49 (0)2266 47785-440 sales@x-film.com www.x-film.com


Technical supplement:
All information given in our product data sheets are based on our current knowledge and experience and do not constitute an express warranty regarding our products. Due to the vast number of possible influences when processing our products, our knowledge and experience shall not release the user from doing his/her own checks and testing.

The printed colours are only an indication for the real colour values as they can vary from the original film colours. The RAL/HKS colour references are only a non-binding guideline and only approximately reflect the particular original colour values. No responsibility is taken for the correctness of the printed colours / references. The duration of application depends on the film colour. Specified is always the upper limit. You can download our technical data sheets from www.x-film.com or receive a hard copy on request!



Marketing Concept

Our marketing strategy has the purpose of improving X-film's existing brand position worldwide and increasing the growth rate of our clients and our business as well. We want to offer a more complete, but easy to recognise range of products, tailored clearly to the specific needs of each market segment. With the help of a unformed brand strategy, including packaging & product identification, we are absolutely sure to gain marketing strength & attract wide circle of customers - WORLDWIDE!









XF 7 Premium Series

Opaque gloss Polymeric 70 micron

Product Features

Caliper (face film): 70 micron (2.8mil)

Face film: High-performance polymeric, calendered opaque gloss PVC film

Adhesive: Permanent clear, solvent-free pressure-sensitive acrylic adhesive

Adhesive strength: ≥15N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm special clay-coated silicone paper

with red-squared print for easy processing and positioning

Outdoor durability: up to 7 years (black and white) / up to 5 years (colours) / up to 4 years (metallic)

Application temperature: $> +10^{\circ}\text{C} (+ 50^{\circ}\text{F})$

Suitable substrates: Flat and simple/slightly curved surfaces without rivets;

Substrates like (painted) steel, glass, paint, acrylic, aluminium

Application areas: Individual indoor and outdoor designs

Effective and decorative lettering/signage on vehicles, glass surfaces

Product identification Corporate Design

Signs and fascias, sign directory systems, logos and labels

Special features: Comprehensive range of the most popular colours

Excellent opacity High gloss level

Superb processing and layflat properties and dimensional stability

Non-flammable acc. to DIN 4102 B1

Available dimensions

630mm/1260mm x 10m*/25m/50m

* 10m rolls with surcharge

XF 7 Premium Series



7115 Black ~RAL 9005



7108 Pure Orange ~RAL 2004 ~HKS 8



7106 Lime Green





7133 Hazelnut Brown ~RAL 8023 ~HKS 81



7181M Matt Black ~RAL 9011



7101 Traffic Red ~RAL 3020



7102 Green ~RAL 6029 ~HKS 54



7135 Chocolate Brown ~RAL 8017 ~HKS 77



7116 White ~RAL 9003



7162 Signal Red ~RAL 3001



7111 Moss Green ~RAL 6005



7149 Light Grey ~RAL 7035



7180M Matt White ~RAL 9003



7151 Carmine Red ~RAL 3002 ~HKS 15



7127 Light Blue



7109 Traffic Grey ~RAL 7042 ~HKS 95



7100 Clear



7163 Purple Red ~RAL 3004 ~HKS 18



7103 Blue



7119 Basalt Grey ~RAL 7012 ~HKS 93



7160 Yellow ~RAL 1016 ~HKS 2



7117 Tele Magenta ~RAL 4010



7171 Signal Blue ~RAL 5005



7129 Anthracite



7184 Bright Yellow ~RAL 1021 ~HKS 3



7191 Purple ~HKS 36



7173 Ultramarine Blue ~RAL 5002



7301 Silver



7144 Signal Yellow ~RAL 1003 ~HKS 4



7190 ~HKS 34



7112 Sapphire Blue ~RAL 5013



7303 Copper



7128 Pastel Orange ~RAL 2003 ~HKS 7



7126 Yellow Green



7123 Light Beige



7304 Gold





XF7T Premium Series

Translucent Polymeric <u>80 m</u>icron

Product Features

Caliper (face film): 80 micron (3.2mil)

Face film: Translucent, polymeric calendered PVC film

Adhesive: Permanent clear, solvent-free pressure-sensitive acrylic adhesive

(UV-stabilised)

Adhesive strength: ≥15N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm special clay-coated silicone paper

with red-squared print for easy processing and positioning

Outdoor durability: up to 7 years / up to 4 years (metallic: 7299 gold)

Application temperature: $> +10^{\circ}\text{C} (+ 50^{\circ}\text{F})$

Suitable substrates: Flat (acrylic) glass surfaces, e.g. shop windows, light boxes etc.

Application areas: Decoration and identification of internally illuminated / backlit signs made

of glass, acrylic, etc. indoors and outdoors

Special features: Premium satin finish (reduced surface gloss inhibits undesired reflection)


Provides homogenous and reliable colour uniformity and stability Excellent processing properties and first class dimensional stability

Non-flammable acc. to DIN 4102 B1

Available dimensions 630mm/1260mm x 10m*/25m/50m

* 10m rolls with surcharge

XF 7T Premium Series





Premium Exhibition Quality Wall Tattoos

XF 5 Intermediate Series



Opaque matt Monomeric 100 micron

Product Features

Caliper (face film): 100 micron (4mil)

Face film: Opaque matt, monomeric calendered PVC film

Adhesive: Removable clear, solvent-free pressure-sensitive acrylic adhesive

Adhesive strength: ≥7N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm 2-sided PE-sealed special silicone paper

with green-squared print for easy processing and positioning

Outdoor durability: up to 5 years

Application temperature: $> +10^{\circ}\text{C} (+ 50^{\circ}\text{F})$

Suitable substrates: Flat, smooth surfaces; substrates like (painted) steel, glass, paint, acrylic,

aluminium, wall paper (sufficient drying time, 2 weeks min.)

Application areas: Exhibition displays / signs

Decorative film for various indoor and outdoor applications

Interior design (including wall art / wall tattoos)

Decorative signs, panels and logos

Special features: Excellent coverage

Wide variety of colours

Premium matt finish (inhibits unwanted reflections)

Removable acrylic adhesive for easy removability of the film

Non-flammable acc. to DIN 4102 B1

Available dimensions: 630mm/1260mm x 10m*/25m/50m * 10m rolls with surcharge

Selected colours * are also available in 510mm/1020mm!

XF 5 Intermediate Series







XF 5T Intermediate Series

Transparent Monomeric 90 micron

Product Features

Caliper (face film): 90 micron (3.6mil)

Face film: Transparent gloss, monomeric calendered PVC film

Adhesive: Semi-permanent clear, solvent-free pressure-sensitive acrylic adhesive

(UV-stabilised)

Adhesive strength: ≥10N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm special clay-coated silicone paper

with green-squared print for easy processing and positioning

Outdoor durability: up to 5 years

Application temperature: $> +10^{\circ}\text{C (}+50^{\circ}\text{F)}$

Suitable substrates: Flat (acrylic) glass surfaces, e.g. shopping windows, light boxes etc.

Application areas: Individual design solutions indoors and outdoors

Effective and decorative lettering/signage on vehicles, glass surfaces

Product identification Corporate Design

Special features: Wide variety of colours

High colour brilliance Excellent colour stability


Combination of different colours to create a wider range of backlit effects

Superb processing properties Non-flammable acc. to DIN 4102 B1

Available dimensions 630mm/1260mm x 10m*/25m/50m

* 10m rolls with surcharge

XF 5T Transparent Series







XF 3 Gloss Economy Series

Opaque Gloss Monomeric 72 micron

Product Features

Caliper (face film): 72 micron (2.9mil)

Face film: Monomeric, calendered opaque gloss PVC film

Adhesive: Permanent clear, solvent-free pressure-sensitive acrylic adhesive

Adhesive strength: ≥15N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm special clay-coated silicone kraft paper

with blue-squared print for easy processing & positioning

Outdoor durability: up to 3 years (colours) / up to 2 years (metallic)

Application temperature: $> +10^{\circ}C (+50^{\circ}F)$

Suitable substrates*: Flat and smooth surfaces

Substrates like (painted) steel, glass, paint, acrylic, aluminium

Application areas: Individual design solutions indoors and outdoors

Effective and decorative lettering/signage on vehicles and glass surfaces

Product identification Corporate Design

Signs and fascias, sign directory systems, logos and labels

Special features: High coverage

Excellent price-performance ratio (value for money)

Non-flammable acc. to DIN 4102 B1

* IMPORTANT REMARK: Prior to application onto a water-based paint/varnish, compatibility has to be tested by the user to avoid any damage to the painted/lacquered surface and negative interaction between surface and adhesive (haze/relief).

Available dimensions 630mm/1260mm x 10m*/25m/50m * 10m rolls with surcharge

XF 3 Gloss Economy Series



3630 Sulphur Yellow ~RAL 1016 ~HKS 2



3654Tele Magenta ~RAL 4010 ~HKS 26



3696Ultramarine Blue ~RAL 5002 ~HKS 42



3700Agate Grey ~RAL 7038



3631Zinc Yellow ~RAL 1018 ~HKS 3



3655Signal Violet
~RAL 4008
~HKS 29



3697Cobalt Blue ~RAL 5013



3710Mouse Grey ~RAL 7005 ~HKS 96



3632 Signal Yellow ~RAL 1003 ~HKS 5



3656Blue Violet
~HKS 37



3661 Light Green



3720Basalt Grey ~RAL 7012



3633Dahlia Yellow ~RAL 1033



3657 Mint



3662 Yellow Green ~RAL 6018 ~HKS 65



3300 Silver



3641 Bright Red Orange ~RAL 2008 ~HKS 8



3680 Water Blue ~RAL 5021



3663 May Green



3302 Gold



3642 Traffic Orange ~RAL 2009 ~HKS 10



3691 Bright Blue



3664 Green ~HKS 54



3620 Traffic White ~RAL 9016



3640 Traffic Red ~RAL 3020 ~HKS 14



3692 Olympic Blue



3665Mint Green
~RAL 6029



3610 Traffic Black ~RAL 9017



3643 Glowing Red



3693 Light Blue ~RAL 5012



3666Moss Green ~RAL 6005



3600 Clear



3644Signal Red ~RAL 3001



3694 Medium Blue



3800Light Ivory
~RAL 1015



3645Ruby Red
~RAL 3003
~HKS 16



3690Signal Blue ~RAL 5005



3801Ochre Orange
~HKS 72



3650Purple Red ~RAL 3004 ~HKS 18



3695Gentian Blue ~RAL 5010



3802Clay Brown ~RAL 8003
~HKS 74



3653 Medium Pink



3686Brilliant Blue



3803Mahogany Brown ~RAL 8016
~HKS 77





XF 3 Matt Economy Series

Opaque matt Monomeric 72 micron

Product Features

Caliper (face film): 72 micron (2.9mil)

Face film: Monomeric, calendered opaque matt PVC film

Adhesive: Permanent clear, solvent-free pressure-sensitive acrylic adhesive

Adhesive strength: ≥15N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm special clay-coated silicone paper

with blue-squared print for easy processing and positioning

Outdoor durability: up to 3 years

Application temperature: $> +10^{\circ}\text{C} (+50^{\circ}\text{F})$

Suitable substrates*: Flat and smooth surfaces

Substrates like (painted) steel, glass, paint, acrylic, aluminium

Application areas: Individual design solutions indoors and outdoors

Effective and decorative lettering/signage on vehicles and glass surfaces

Product identification Corporate Design

Signs and fascias, sign directory systems, logos and labels

Special features: High coverage

Excellent price-performance ratio (value for money)

Non-flammable acc. to DIN 4102 B1

* IMPORTANT REMARK: Prior to application onto a water-based paint/varnish, compatibility has to be tested by the user to avoid any damage to the painted/lacquered surface and negative interaction between surface and adhesive (haze/relief).

Available dimensions 630mm/1260mm x 10m*/25m/50m * 10m rolls with surcharge

XF 3 Matt Economy Series



3630MSulphur Yellow ~RAL 1016
~HKS 2



3650MPurple Red
~RAL 3004
~HKS 18



3686M Brilliant Blue



3700M Agate Grey ~RAL 7038



3631MZinc Yellow
~RAL 1018
~HKS 3



3652M Light Lilac



3696MUltramarine Blue
~RAL 5002
~HKS 42



3710MMouse Grey
~RAL 7005
~HKS 96



3632MSignal Yellow
~RAL 1003
~HKS 5



3653M Medium Pink



3697MCobalt Blue
~RAL 5013



3720MBasalt Grey ~RAL 7012



3641MBright Red Orange
~RAL 2008
~HKS 8



3654MTele Magenta
~RAL 4010
~HKS 26



3662M Yellow Green ~RAL 6018 ~HKS 65



3620M Traffic White ~RAL 9016



3640MTraffic Red ~RAL 3020 ~HKS 14



3656MBlue Violet
~HKS 37



3663M May Green



3610M Traffic Black ~RAL 9017



3643M Glowing Red



3691M Bright Blue



3666M Moss Green ~RAL 6005



3600M Clear



3644MSignal Red
~RAL 3001



3692M Olympic Blue



3800M Light Ivory ~RAL 1015



3645MRuby Red
~RAL 3003
~HKS 16



3694M Medium Blue



3803MMahogany Brown
~RAL 8016
~HKS 77





DECOREX

Decorative & Effect Films

Printability

- * Screen printing; UV-curable inks
- ** Screen printing; UV-curable inks; (eco-) solvent ink jet printing

DECOREX XF 7 7301 SILVER / 7303 COPPER / 7304 GOLD

70 micron (2.8mil) opaque gloss, premium polymeric metallic PVC film; outdoor durable: 4 years; B1-certified



XF 7 7301**



XF 7 7303** Copper



XF 7 7304**

DECOREX XF 7T 7299 TRANSLUCENT GOLD

80 micron (3.2mil) translucent gold, special polymeric vinyl film (calendered); outdoor durable: 4 years; B1-certified



XF 7T 7299**

DECOREX XF 3 METALLIC GLOSS 3300 SILVER / 3302 GOLD

72 micron (2.9mil) monomeric, calendered opaque gloss metallic PVC vinyl film; outdoor durable: 2 years; B1-certified



XF 3 GLOSS** 3300 Silver



XF 3 GLOSS** 3302 Gold

Available dimensions

630mm/1260mm x 10m*/25m/50m

* 10m rolls with surcharge

DECOREX D-MXP 310 Champagne brushed

NEW

110 micron (4.3 mil) opaque matt brushed, premium polymeric PVC film with metallic effect in champagne colour; permanent clear solvent-free acrylic adhesive; 120gsm special clay-coated silicone kraft paper

Available dimensions

630mm/1260mm x 10m*/25m/50m

*10m rolls with surcharge



D-MXP 310**Champagne brushed

DECOREX D-MXD 500 / 502 / 550 / 552

75 micron (3mil), high-gloss durable metal-PVC sandwich; outdoor durable (with edge sealing): 5 year; B1-certified

610mm/1220mm x 10m*/25m

* 10m rolls with surcharge



D-MXD 500** Silver Gloss



D-MXD 502** Gold Gloss



D-MXD 550** Silver Brushed



D-MXD 552** Gold Brushed

DECOREX D-MXC 301 SILVER / 304 GOLD

140 micron (5.5 mil) compound material of a matt monomeric PVC vinyl film + a metallised polyester film; B1-certified

500mm/1000mm x 10m*/25m/50m

* 10m rolls with surcharge



D-MXC 301* Silver



D-MXC 304*

DECOREX D-MX 300 SILVER / 302 GOLD / 303 COPPER

50 micron (2mil) high-gloss, mirror-like polyester film, with our special EASY LINER adhesive / release liner technology for bubble-free dry application: only for short-term outdoor use; B1-certified

500mm/1000mm x 10m*/25m/50m

* 10m rolls with surcharge



D-MX 300* Silver



D-MX 302* Gold



D-MX 303* Copper



DECOREX D-LX 54 / 58 / 51 / 50 / 52 Fluorescent VinvIs

120 micron (4.8mil) fluorescent monomeric PVC vinyl film for ultra-short outdoor application < 3 months; B1-certified

610mm/1220mm x 10m*/25m/50m

* 10m rolls with surcharge



D-LX 54** Neon Yellow



D-LX 58** Neon Orange



D-LX 51** Neon Red



D-LX 50** Neon Pink

NEW



D-LX 52** Neon Green

DECOREX D-RX 31 / 32 / 33 / 34 / 35 / 36 reflection Film

130 micron (5 mil), PET reflective film; permanent solvent adhesive; 170g PE-coating paper

Colour range: white, yellow, red, green, blue; 3 years outdoor durable

Application range: short term external advertisement signage and vehicle application, labels for reflective situation

620mm/1240m x 45,7m



D-RX 31



D-RX 32 Yellow



D-RX 33



D-RX 34





D-RX 36 Green

DECOREX TF-G 400 / TF-S 415 Blackboard film

Blackboard film: TF-G 400: 200 micron (8mil), dark green embossed; TF-S 415: 100 micron (4mil) black; B1-certified

510mm/1020mm x 10m*/25m/50m

* 10m rolls with surcharge





TF-S 415 Black

Whiteboard film *NEW

Self-adhesive white gloss PET-PVC film, 160micron (6.3 mil); semi-permanent, clear solvent-free acrylic adhesive; PE-backing with red reverse-side-printing. The White Board film is used for repeatedly writing with a wide range of dry erase markers. Wipe clean using a soft tissue or dry erase cleaners. Easy to cut and to apply on any flat, smooth, clean surfaces.

600mm/1200mm x 10m*/25m/50m

*10m rolls with surcharge





D-GF Glass Decoration Films

1) CLASSIC LINE: Self-adhesive polymeric glass etch decoration vinyls

2) COLOUR LINE: Self-adhesive coloured, polymeric glass etch decoration vinyls

3) SPARKLE LINE: Self-adhesive high-performance cast glass etch vinyls

D-GF CLASSIC LINE / D-GF CLASSIC LINE Easy Liner / D-GF COLOUR LINE

Caliper (face film): 80 micron (3.2mil)

Face film:

for JETREX D-GF 202

BRILLIANT

Release liner:

with Top-Coat for ECO-/Mild-/Low-Solvent, Solvent and Latex inks

High-performance polymeric, calendered glass etch decoration vinyl film

Adhesive: Permanent clear, pressure-sensitive acrylic adhesive

for D-GF removable Removable clear solvent-free pressure-sensitive acrylic adhesive

Adhesive strength: ≥15N/25mm, acc. to FINAT/FTM1 (24h) for D-GF removable ≥5N/25mm (FINAT/FTM1, after 24 h)

120gsm special clay-coated silicone paper with excellent processing properties for the Easy Liner version: 160gsm embossed, 2-sided PE-coated special paper with our EASY LINER technology

Outdoor durability: 5 to 7 years

Application temperature: min. +10°C (+50°F)

Suitable substrates: Flat and simple/slightly curved surfaces like glass, acrylic etc.

Decoration of (shop) windows, glass doors, mirror-like surfaces etc. **Application areas:**

Glass decor for an etched, frosted, crystal and glacier effect

Special features: Superb choice of authentic translucent finishes and colours / Cutting-edge product range

Medium gloss surface inhibits undesired reflection

Superb processing and layflat properties as well as dimensional stability

Non-flammable acc. to DIN 4102 B1

D-GF Glass Decoration Films

D-GF SPARKLE LINE

Caliper (face film): 80 micron (3.2mil)

Face film: High-performance cast glass etch decoration vinyl film

Adhesive: Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm special clay-coated silicone paper with excellent processing properties

Outdoor durability: up to 7 years

min. +10°C (+50°F) **Application temperature:**

Suitable substrates: Flat, curved and complex surfaces like glass, acrylic, painted surfaces (vehicles)

Application areas: Decoration of (shop) windows, glass doors, mirror-like surfaces etc.

Glass decor for a sparkling effect

Special features: Sparkling finish due to metallic flakes inside the face film to create a stunning effect

CLASSIC LINE polymeric

NEW 1520mm **D-GF 202** ETCHED GLASS

CLASSIC LINE

Easy Liner

Easy Liner **D-GF 202EL** *NEW* 1520mm

ETCHED GLASS with our Easy Liner adhesive / release liner technology for bubble-free and time-efficient dry application

COLOUR LINE polymeric



SPARKLE LINE cast





D-GF 202 removable



D-GF 211 ETCHED GLASS BI UF



D-GF 240 MINT FLAKE



JETREX D-GF 202 BRILLIANT ETCHED GLASS. Top-Coated



D-GF 206EL GLACIER GLASS with our Easy Liner adhesive / release liner technology for bubble-free and time-efficient dry application

Easy Liner





D-GF 241 BLUE FLAKE



D-GF 203 FROSTED GLASS







D-GF 205 CRYSTAL





Available dimensions

D-GF 206 GLACIER GLASS



CARBON

Cast carbon for 3D Car Wrapping (fibre look)

Caliper (face film): 135µm (5.4mil)

Adhesive: permanent adhesive

Release liner: 130gsm white PE-sealed kraft paper

Application areas: Car Wrapping, interior design of vehicles

Suitable for 3D Car Wrapping on curved and surfaces

Colours: 9010 BLACK 3D

9011 PEARL 3D

9012 ANTHRACITE 3D 9014 BRUSHED SILVER

9015 BLACK LEATHER LOOK* 9016 CRACKED BURGUNDI*

Available dimensions: 1525mm x 12,5m/25m *Available dimensions: 1370mm x 12,5m/25m

Polymeric calendered carbon

Caliper (face film): 160µm (6.4mil)

Adhesive: semi-permanent adhesive

Release liner: 140gsm white PE-sealed paper with Easy Liner technology

Application areas: Car Wrapping, interior design of vehicles

Colours: 9020 BLACK

9021 WHITE 9022 SILVER 9023 GOLD 9024 BLUE 9025 RED

Available dimensions: 1520mm x 10m/30m





PROTEX Surface Protection Films

High-quality, self-adhesive protective laminate programme for long-lasting surface protection and maintenance of value for documents, books and maps

PROTEX PXP Map Protection Film GLOSS

Transparent gloss, monomeric PVC map protection film, 80 micron (3.2mil) 300mm/600mm/1000mm/1200mm x 10m*/25m

*10m rolls with surcharge

PROTEX PXMP Map Protection Film MATT

Transparent matt, monomeric PVC map protection film, 80 micron (3.2mil) 300mm/600mm/1000mm x 10m*/25m

*10m rolls with surcharge

PROTEX SX Document Protection Film GLOSS

Transparent gloss, monomeric PVC document protection film, 70 micron (2.8mil) 330mm/500mm/1000mm/1200mm x 10m*/25m *10m rolls with surcharge

PROTEX CLA Book Covering Film GLOSS

Transparent gloss, monomeric PVC book covering film, 80 micron (3.2mil) 330mm/400mm/500mm/600mm/1000mm/1200mm x 10m*/25m

*10m rolls with surcharge

PROTEX CLAM Book Covering Film MATT

Transparent matt, monomeric PVC book covering film, 80 micron (3.2mil) 600mm/1000mm/1200mm x 10m*/25m

*10m rolls with surcharge

PROTEX BPSM 80 PP Book Covering Film SEMI MATT

Transparent semi matt, eco-friendly PP (polypropylene) book covering film, UV-stabilised, 80 micron (3.2mil) 600mm/1000mm/1200mm x 25m/50m

PROTEX PP 60 Book Covering Film GLOSS

Transparent gloss, eco-friendly PP (polypropylene) book covering film, 60 micron (2.4mil) 300mm/400mm/600mm/1200mm x 10m*/25m/50m *10m rolls with surcharge Also available CORELESS: Standard widths 400mm x 1m/2m/3m/5m





MONTEX

Application Tape, Technical & Mounting Film

MONTEX films are individually designed for various areas of application and impress with their professional application properties and superior performance.

MONTEX Application Tapes

Montex Application Tape FT-MS with backing and FT-OS self-wound; standard tack

120 micron (4.8mil) transparent PVC-based (polymeric) application tape with embossed finish, high dimensional stability and a solvent-free acrylic adhesive (standard tack); re-usable

FT-MS: with green squared backing

FT-OS: self-wounded

250mm/330mm/510mm/610mm/1020mm/1220mm x 25m/50m

Montex Application Tape FT-ML with backing and FT-OL self-wound; low tack

120 micron (4.8mil) transparent, light blue PVC-based (polymeric) application tape with embossed finish, high dimensional stability and a solvent-free acrylic adhesive (low tack); re-usable

FT-ML: with green squared backing

FT-OL: self-wounded

250mm/330mm/510mm/610mm/1020mm/1220mm x 25m/50m

MONTEX FT-66 Application Tape/self-wound/low tack

140 micron (5.6mil) transparent, embrossed PP-based application tape; high dimensional stability, excellent lay-flat properties and a solvent-free acrylic adhesive (low tack); easy unwinding of the film with low static charge; re-usable 1220mm x 100m

Montex FT-75 Application Tape / self-wound/ standard tack *NE

145 micron (5.7mil) transparent embossed PE application tape; modified acrylic adhesive with standard tack 1220mm x 100m

MONTEX UF Carrier Film / with backing / standard tack

80 micron (3.2mil) transparent matt PVC-based (monomeric) application tape; solvent-free acrylic adhesive (standard tack); black squared backing facilitates exact cutting; re-usable

250mm/330mm x 10m*/25m

*10m rolls with surcharge

500mm/1000mm x 10m*/25m/50m *10m rolls with surcharge

MONTEX X-film Tape Paper Application Tape / self-wound / standard tack

110 micron semi transparent transfer paper with dimensional stability and moisture resistance; solvent-free natural rubber adhesive; suitable for almost all commercially available film types (glossy & matt) for dry and wet application 1220mm x 100m

MONTEX X-film Tape Paper Premium Application Tape / self-wound / standard tack

110 micron semi transparent transfer paper with dimensional stability and moisture resistance; improved adhesion; superior lay flat to present tunneling and edge curling.

MONTEX Technical Films

MONTEX D-SF+ Stencil Film

80 micron (3.2mil) transparent matt, light grey monomeric PVC stencil film, low tack

1000mm/1260mm x 25m/50m

MONTEX DX 1 Mounting Film (standard tack)

70 micron, transparent double-sided adhesive PVC mounting film. Standard-tack Backing (2x): 120gsm 2-sided PE-coated special paper & light blue PE backing

255mm/510mm/1020mm/1220mm x 10m*/25m/50m

*10m rolls with surchage

MONTEX DX 2 Mounting Film (high tack)

70 micron, transparent double-sided adhesive PVC mounting film. High-tack - improved adhesion! Backing (2x): 120gsm 2-sided PE-coated special paper & white PE backing

255mm/510mm/1020mm/1220mm x 10m*/25m/50m

*10m rolls with surchage

MONTEX DX 3 Mounting Film

NEW

70 micron, double-sided adhesive PVC mounting film with two different adhesive systems.

The permanent side is for permanent connection. The removable side is for easy removability from all smooth and clean surfaces.

120 gsm 2-sided PE-sealed special paper (permanent) and transparent PE film with red squared print (removable).

255mm/510mm/1020mm x 10m*/25m/50m

*10m rolls with surchage

MONTEX DXP 12 Self-Wound Mounting Film

12 micron (0.5mil) transparent PET (polyester) mounting/laminating film, 1 side with a paper backing, high tack (to be used on a laminator)

965mm/1040mm/1300mm/1400mm/1540mm x 50m/100m

MONTEX AZ Airbrush Film

80 micron (3.2mil) transparent matt, ultra low-tack polymeric PVC airbrush film

330mm/500mm/1000mm x 5m*/10m*/25m/50m

*5m/*10m rolls with surchage

MONTEX ZP Drawing Paper

80gsm, non-adhesive opaque matt drawing paper

1220mm x 50m/100m

REFLEX BOND FINGERLIFT Transfer Adhesive Tape for bonding digital banners

Transparent, high cohesive, elastic transfer adhesive film for bonding and seaming digital advertisement banners, PVC films and synthetic fabrics; extended liner ("fingerlift) for improved handling & processing; 400gsm adhesive weight

25mm x 25m

MONTEX Sandblast Films

MONTEX SBF 235 Sandblast Film

235 micron (9.3mil) white embossed, opaque PVC sandblast film for high impact applications on glass, stone, wood, metal etc.; low tack 1260mm x 25m/50m

MONTEX SBF 335 Sandblast Film

335 micron (13.4mil) light grey, opaque PVC sandblast film for heavy impact applications on glass, stone, wood, metal etc.; low tack

1260mm x 25m/50m







JETREX INK JET MEDIA ECO-SOLVENT/SOLVENT/UV

Our JETREX large-format digital media offer material for all YOUR application needs. Our media are designed specifically for (eco-)solvent-based and UV ink jet printing.

Additionally to our monomeric, polymeric and cast white gloss, white matt and transparent printing vinyls, we offer a vast variety of unique speciality media!

JETREX XF 80 Series - Monomeric Digital Print Media

JETREX XF 80-WGP

Caliper (face film): 80 micron (3.2mil)

Face film: White gloss, soft-calendered monomeric PVC film **Adhesive:** Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 140gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 3 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

JETREX XF 80-WMP

Caliper (face film): 80 micron (3.2mil)

Face film: White matt, soft-calendered monomeric PVC film **Adhesive:** Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 140gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 3 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

JETREX XF 80-TGP 2in1 (can also be used as an over laminating film)

Caliper (face film): 80 micron (3.2mil)

Face film: Transparent gloss, soft-calendered monomeric PVC film **Adhesive:** Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 140gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 3 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Applications on glass

JETREX XF 100 Series - Monomeric Digital Print Media

JETREX XF 100-WGP

Caliper (face film): 100 micron (4mil)

Face film: White gloss, soft-calendered monomeric PVC film **Adhesive:** Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 4 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Available dimensions 760mm*/1050mm/1370mm/1600mm x 50m * rolls with surcharge

JETREX XF 100-WGRG

Caliper (face film): 100 micron (4mil)

Face film: White gloss, soft-calendered monomeric PVC film **Adhesive:** Removable GREY, pressure-sensitive acrylic adhesive

Adhesive strength: ≥6N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 4 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Floor Graphics

Available dimensions 1370mm x 50m

JETREX XF 100-TGP 2in1 (can also be used as an over laminating film)

Caliper (face film): 100 micron (4mil)

Face film:Transparent gloss, soft-calendered monomeric PVC film **Adhesive:**Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 3 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Applications on glass

Available dimensions 760mm*/1050mm/1370mm/1600mm x 50m *rolls with surcharge

JETREX XF 100-WMR

Caliper (face film): 100 micron (4mil)

Face film: White matt, soft-calendered monomeric PVC film **Adhesive:** Removable clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥6N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 3 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Available dimensions 1600mm x 50m

JETREX XF 100-WMPG

Caliper (face film): 100 micron (4mil)

Face film: White matt, soft-calendered monomeric PVC film
Adhesive: Permanent GREY, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 120gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 3 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Available dimensions 760mm*/1550mm x 50m *rolls with surcharge



JETREX XF 80P Series - Polymeric Digital Print Media

JETREX XF 80P-WGP

Caliper (face film): 80 micron (3.2mil)

Face film: White gloss, soft-calendered polymeric PVC film **Adhesive:** Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength:≥12N/25mm, acc. to FINAT/FTM1 (24h)Release liner:140gsm 2-sided PE-coated special paper

Outdoor durability: 5 to 7 years

Typical uses: Indoor signage and long-term outdoor advertising/promotion on flat and curved

surfaces without rivets; partial vehicle wraps; everyday signage

JETREX XF 80P-WGPG

Caliper (face film): 80 micron (3.2mil)

Face film: White gloss, soft-calendered polymeric PVC film **Adhesive:** Permanent GREY, pressure-sensitive acrylic adhesive

Adhesive strength:≥12N/25mm, acc. to FINAT/FTM1 (24h)Release liner:140gsm 2-sided PE-coated special paper

Outdoor durability: 5 to 7 years

Typical uses: Indoor signage and long-term outdoor advertising/promotion on flat and curved

surfaces without rivets; partial vehicle wraps

Available dimensions 760mm*/1370mm/1550mm x 50m *rolls with surcharge

JETREX XF 80P-TGP 2in1 (can also be used as an over laminating film)

Caliper (face film): 80 micron (3.2mil)

Face film: Transparent gloss, soft-calendered polymeric PVC film **Adhesive:** Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 140gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: 5 to 7 years

Typical uses: Indoor signage and long-term outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Applications on glass

JETREX XF 80P-TMP 2in1 (can also be used as an over laminating film)

Caliper (face film): 80 micron (3.2mil)

Face film: Adhesive:Transparent matt, soft-calendered polymeric PVC film
Permanent clear, pressure-sensitive acrylic adhesive

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h)

Release liner: 140gsm 1-side siliconised special clay-coated kraft paper

Outdoor durability: up to 5 years

Typical uses: Indoor signage and long-term outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Applications on glass

Available dimensions 760mm*/1370mm/1550mm x 50m (TGP) *rolls with surcharge

760mm*/1370mm/1520mm x 50m (TMP) *rolls with surcharge

JETREX XF 50C Series - Cast Digital Print Media

JETREX XF 50C-WGRepG

Caliper (face film): 50 micron (2mil)

White gloss, high-performance, highly conformable cast PVC film Face film:

Adhesive: Repositionable GREY, pressure-sensitive acrylic adhesive with permanent end tack

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h) Release liner: 140gsm 2-sided PE-coated special paper

Outdoor durability: 8 to 10 years

Long-term outdoor advertising/promotion and signage, fleet graphics, bus and Typical uses:

automotive wraps for applications on flat, curved, complex and riveted surfaces

JETREX XF 50C-WGPG/EL Easy Liner

Caliper (face film): 50 micron (2mil)

White gloss, high-performance, highly conformable cast PVC film Face film:

Adhesive: Repositionable GREY, pressure-sensitive acrylic adhesive with permanent end tack

Release liner:

160gsm embossed, 2-sided PE-coated special paper with our EASY LINER adhesive /

Coutdoor durability.

160gsm embossed, 2-sided PE-coated special paper with our EASY LINER adhesive /

Coutdoor durability.

160gsm embossed, 2-sided PE-coated special paper with our EASY LINER adhesive /

Coutdoor durability.

Typical uses: Long-term outdoor advertising/promotion and signage, fleet graphics, bus and

automotive wraps for applications on flat, curved, complex and riveted surfaces

JETREX XF 50C-TGP 2in1 (can also be used as an over-laminating film)

Caliper (face film): 50 micron (2mil)

Face film: Transparent gloss, high-performance, highly conformable cast PVC film Adhesive: Permanent clear, pressure-sensitive acrylic adhesive with permanent end tack

Adhesive strength: ≥12N/25mm, acc. to FINAT/FTM1 (24h) 140gsm 2-sided PE-coated special paper Release liner:

Outdoor durability: 7 to 8 years

Long-term outdoor advertising/promotion and signage, fleet graphics, bus and Typical uses:

automotive wraps for applications on flat, curved, complex and riveted surfaces

Applications on glass

Available dimensions 760mm*/1370mm/1520mm x 50m *rolls with surcharge

JETREX D-GF 202 BRILLIANT

Glasdecoration Etched Glass Top-Coated

JETREX D-GF 202 BRILLIANT

Caliper (face film): 80µm (3.2mil)

Face film: High-performance polymeric, calendered, premium-soft-PVC film with Top-Coat

for ECO-/Mild-/ Low-Solvent and Solvent inks

Adhesive: permanent acrylic adhesive

Release liner: 120gsm special clay-coated silicone paper with excellent processing properties Expanded design possibilities through the use of individual digital printed images Application areas:

Available dimensions 610mm/1220mm x 25m/50m



JETREX Speciality Digital Print Media

JETREX J-LSG 80 Vinyl Film

97 micron (4mil), top-coated special soft-calendered PVC vinyl film White Gloss (3320) and Transparent Gloss (3300)

JETREX J-LSGC 80 Metallic Vinyl Film

97 micron (4mil), top-coated special metallic, soft-calendered monomeric PVC vinyl film Silver Gloss (3301) and Gold Gloss (3302) 610mm/1220mm x 40m

JETREX D-MXD SILVER Outdoor Durable Metallic Vinyl Film

75 micron (3mil), high-gloss durable metal-PVC sandwich; 5 year outdoor durable (with edge sealing) Silver Gloss (500) and Silver Brushed (550) 610mm/1220mm x 10m*/25m * 10m rolls with surcharge

JETREX D-MXD GOLD Outdoor Durable Metallic Vinyl Film

75 micron (3mil), high-gloss durable metal-PVC sandwich; 5 year outdoor durable (with edge sealing) Gold Gloss (502) and Gold Brushed (552)
610mm/1220mm x 10m*/25m

* 10m rolls with surcharge

JETREX J-LSPG 50 Metallic PET Film

50 micron (2mil), high-gloss, mirror-like and top-coated polyester film Silver Gloss (3501) and Gold Gloss (3502) 500mm/1000mm x 20m/40m

JETREX J-LSPP Holographic PP Film

62 micron (2.4mil), top-coated holographic PP (polypropylene) film Sparkle-New 3633 and Twinkle-Star 3632 500mm/1000mm x 20m/40m

JETREX J-LS VOID Seal&Safe PET Security Film

72 micron (2.9mil) polyester security film with destructible adhesive pattern Silver (8801) and White (8820) $_{500\,\text{mm}/1000\,\text{mm}\,\times\,20\text{m}}$

JETREX XF 220 BACKLIT

Premium PET (polyester) backlit, diffusing white gloss, 220 micron (8.7mil) Non-adhesive for light boxes, snap frames etc. 1524mm x 30m

JETREX XF 300-CPC Canvas Polycotton

Premium top-coated cotton polyester Canvas media, 300gsm Non-adhesive 762mm/914mm/1067mm/1270mm/1370mm/1524mm x 15m

JETREX XF 430-CPC Canvas Polycotton

Premium top-coated cotton polyester, 430gsm for fine art photographic reproduction, interior design & advertising and framed pictures. Non-adhesive. Printable with Latex-ink as well. 762mm/914mm/1067mm/1270mm/1370mm/1524mm x 12m





Environmentally friendly and ecologically valuable PVC-free digital print film!

JETREX XF PP 85-WMR

Caliper (face film): 85 micron

Face film: ECO-friendly, white matt, polypropylene film, PVC-free

Face finish: special Top-Coat for high-resolution, photo-realistic digital prints with

ECO-/Mild-/Low-Solvent and Solvent inks

Adhesive:removable clear acrylic adhesiveRelease liner:120 gsm special clay-coated paperOutdoor durability:only for short-term outdoor use

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Available dimensions 1000mm x 25m/50m

JETREX XF PP 90-WGP

Caliper (face film): 90 micron

Face film: Eco-friendly, white gloss, polypropylene film, PVC-free

Face finish: special Top-Coat for high-resolution, photo-realistic digital prints with

ECO-/Mild-/Low-Solvent and Solvent inks

Adhesive: permanent clear acrylic adhesive Release liner: 120gsm special clay-coated paper

Outdoor durability: 2 years

Typical uses: Indoor signage and outdoor advertising/promotion on flat and slightly

curved surfaces without rivets

Available dimensions 1000mm x 25m/50m





JETREX BLOCKOUT: white/black

JETREX BLOCKOUT:

signal-white/white 401 creme-white/white 402

JETREX Blockout white/black

Caliper (face film): 140 micron (5.6mil)
Face film: opaque-matt, PVC

Film: high opacity, face side is white, back side is black
Printability: ECO-/Mild-/Low-Solvent and Solvent inks
Adhesive: semi-permanent, water based acrylic adhesive

Application areas: temporarily covering of advertising applications, e.g. on light boxes

or darkening of windows

Available dimensions 1220mm x 25m/50m

JETREX Blockout available in 2 colour shades

BLOCKOUT signal-white/white 401, 152 micron (6.1mil) BLOCKOUT creme-white/white 402, 180 micron (7.2mil)

Caliper (face film): signal-white/white 401 152 micron (6.1mil)

creme-white/white 402 180 micron (7.2mil)

Printability: ECO- /Mild-/Low-Solvent and Solvent inks removable, water based acrylic adhesive

Usable for two-sided for short- and middle-term advertising in combination with a transparent digital printing vinyl. You print a reversed image on a transparent film and stick in from the inner side of the glass surface, the print is visible from outside. Then you print another image on a blockout and stick it over the transparent film, printed images will not shine through because the blockout film is completely opaque.

Available dimensions 1260mm x 25m/50m



X-art Wall Fleece



Eco-friendly, PVC- and glass fibre-free wall fleece for creating of wall tatoos for wall decoration as well as for application in exhibitions, shops and events. For short and medium indoor application.

X-art 150

150gsm PVC-free wall fleece with matt finish.

Adhesive: semi-permanent (removable), solvent-free, premium acrylic adhesive

Printability: UV-Currable and Latex ink

X-art 150S

165gsm PVC-free wall fleece with light gloss brilliant finish.

Adhesive: semi-permanent (removable), solvent-free, premium acrylic adhesive

Printability: Latex, ECO-, MILD-, Low-Solvent and Solvent ink



JETREX for water-based ink jet printing (dye & pigment)

JETREX J-V 90 Top-Coated Matt Print Vinyl

90 micron (3.6mil) white matt, monomeric, permanent PVC print vinyl with a special water-based top coating.

JETREX J-DPAM 120 (Photographic paper matt)

Photographic paper 120gsm for sharp-shaped high-resulution colour prints, white, matt; Application areas: CAD-Drawings, project plans, prototypes for packaging, maps, POS displays, transparents, signs, posters, proofs and banners.

610mm/914mm/1067mm/1270mm/1372mm*/1524mm* x 40m





VISOREX Over laminating films (for digital prints)

Our VISOREX over laminating films offer optimum protection and vibrant colours for YOUR print products. By focussing product features on the needs of our JETREX ink jet media, our VISOREX product range sets new quality and processing benchmarks. So that impressive results go on giving of their best, surface protection is customised to match the specific service life and YOUR specific requirements.

JETREX & VISOREX - ALWAYS THE RIGHT COMBINATION!!!

Product Features

Roll for roll, our VISOREX over laminating films deliver exceptional results due to

- perfect indoor protection (finger prints, scratches, abrasion)
- excellent outdoor protection (UV rays/sun exposure, rain, snow, frost)
- excellent cold laminating properties
- enhancement of colour brilliance
- improved handling of finished product
- strong solvent-free acrylic adhesives (UV-stabilised & ph-neutral)

VISOREX XF 50C-TGP Cast Clear GLOSS

50 micron (2mil) transparent gloss, high-performance, highly conformable cast PVC film Outdoor durability: 7 to 8 years

760mm*/1370mm/1520mm x 50m * with surcharge

VISOREX XF 80P-TGP Polymeric Clear GLOSS

80 micron (3.2mil) transparent gloss, soft-calendered polymeric PVC film Outdoor durability: 5 to 7 years

760mm*/1370mm/1550mm x 50m * with surcharge

VISOREX XF 80P-TMP Polymeric Clear MATT

80 micron (3.2mil) transparent matt, soft-calendered polymeric PVC film

Outdoor durability: 5 to 7 years 760mm*/1370mm/1520mm x 50m

* with surcharge

VISOREX XF 80-TGP Monomeric Clear GLOSS

80 micron (3.2mil) transparent gloss, soft-calendered monomeric PVC film

Outdoor durability: 3 years

760mm*/1050mm/1370mm/1600mm x 50m

* with surcharge

VISOREX O-FM 75 Monomeric Clear MATT

75 micron (3mil) transparent matt, soft-calendered monomeric PVC film, with special UV inhibitors in face film & adhesive Outdoor durability: 3 years

965mm/1040mm/1300mm/1370mm/1540mm x 50m/100m

VISOREX O-FSM 75 Monomeric Clear SEMI MATT

75 micron (3mil) transparent semi matt, soft-calendered monomeric PVC film, with special UV inhibitors in face film & adhesive, outdoor durability: 3 years 965mm/1040mm/1370mm/1540mm x 50m/100m

VISOREX O-FG 75 Monomeric Clear GLOSS

75 micron (3mil) transparent gloss, soft-calendered monomeric PVC film, with special UV inhibitors in face film & adhesive, outdoor durability: 3 years

965mm/1040mm/1300mm/1370mm/1540mm x 50m/100m

VISOREX XF 100-TGP Monomeric Clear GLOSS

100 micron (4mil) transparent gloss, soft-calendered monomeric PVC film

Outdoor durability: 3 years

760mm*/1050mm/1370mm/1600mm x 50m

* with surcharge

VISOREX O-FST 100 FLOOR GRAPHICS

100 micron (4mil) transparent matt, embossed soft-calendered monomeric PVC film, certified slip resistance: R9

1040mm/1300mm/1400mm*/1550mm* x 50m/100m

* on request

VISOREX O-FST 175 FLOOR GRAPHICS

175 micron (7mil) transparent matt, embossed soft-calendered monomeric PVC film, certified slip resistance: R10

1040mm/1400mm* x 50m/100m

* on request

VISOREX O-FG 60 PVC HIGH GLOSS

60 micron (2.4mil) transparent high gloss PVC with low plasticized content

965mm/1040mm/1300mm/1370mm/1540mm x 50m/100m

VISOREX O-PG 50 PET HIGH GLOSS

50 micron (2mil) transparent high gloss PET (polyester)

965mm/1040mm/1300mm/1370mm/1540mm x 50m/100m

VISOREX O-FTG 50 ANTI-GRAFFITI

50 micron (2mil) PVDF gloss, anti-graffiti film, high grade UVA/UVB protection

1270mm x 25m





CONVEX Manual 3D Doming Kit

...adds value to YOUR products!

CONVEX is a manual 3D Doming Kit for top-quality print&cut doming decals, stickers and labels.

Enhance the look and touch of your printing products!

Add value to your print&cut labels by using our Convex 3D Doming system!

What is doming?

Doming means the application of a clear polyurethane resin on a two-dimensional surface. The result is a three-dimensional, crystal-clear lens that enhances the look and feel of your products. Doming has many applications in various market sectors, such as product identification, promotional products, gifts, point of sale and signage. Domed labels are also used on automobilies, air conditioners, safes and heavy equipment where impressive decals are required. Brand names and trade marks take on a powerful visual impact.

For especiall impressive results, we recommend to use for doming our JETREX Speciality Digital Print Media. The using of CONVEX doming with JETREX silver and gloss films or JETREX holographic films will add value to your product.

To use our CONVEX® system, you do not have to invest in expensive machinery.

Our doming kit consists of an applicator gun, a mixing nozzle and a 2-component 50ml polyurethane resin cartridge.

Features & Benefits

- Customer-specific solutions (sampling / small batch series)
- No expensive machines necessary
- Only small space needed
- Weather-proof (resistance to yellowing up)
- Long-term additional UV protection for print media and inks (up to 10 years)
- Flexible
- Scratch-resistant surface
- Waterproof









Working Tools



Rubber roller

P 40	working width	40mm
P 80	working width	80mm
P 120	working width	120mm
P 200	working width	200mm



Squeegee with X-film logo

Red plastic squeegee	20cm
Violett plastic squeegee	10cm
Small felt squeegee	13cm
Large felt squeegee	25cm



SEAL-IT-PEN

Vinyl graphic edge seal pen for edge protection of adhesive films from humidity, polishing and strong physical contact.





X-film Selbstklebefolien GmbH

Gerberstraße 2 51789 LINDLAR GERMANY

+49 (0)2266 477 85 0

+49 (0)2266 477 85 440

sales@x-film.com