WWW.DANSKERHVERVSBEKLAEDNING.DK

Mirtec®

Architectural Sign Systems

We Speak Sign Language

PRODUCTS

GUIDE

2007

Alt i beklædning, fodtøj, rengøringsartikler og sikkerhedsudstyr,
samt reklamegaver og strøartikler med tryk, broderi og gravering, efter opgave.
Skilte, bannere og bilreklamer efter tilbud.

Our Company

Mission Mirtec was founded based on forty years of experience and know-how in the field to bring creative innovations to the signage industry. The company's mission is to introduce exciting new design and manageability concepts to the world of wayfinding.

Innovation Signs are for conveying information, but why stop there? They are decorative & functional. Mirtec takes signage one step further to create wayfinding systems that are informative, stylish, versatile, and multipurpose.

Quality Mirtec's number one concern is to deliver the highest quality products available. The company is ISO 9002 certified and all of the components used are made from top of the line materials. Sign profiles are available in heavy duty,aluminum 6063 with natural anodized finish.The signs are covered with anti-reflective plastic transparent covers.

Customer Service

Mirtec believes that making customers happy is the key to good business practices. The company's totally modern production line is designed for rapid turnover and quick delivery. A How-To video and CD are available to take the guesswork out of using our products. Our commitment to customer satisfaction, based on attention to detail in every phase of product development, is found in the fine finish, variety of options, and convenience in installing and maintaining your Mirtec signs.

Contents

Jupiter
Interior Sign Design

Page 4-49

Orion
Indoors or Out – Signs with a Flair

Page 50-61

Mercury
Form and Function
Indoor/Outdoor Signs

Page 62-73

Uranus
Wayfinding in Style

Page 74-86

sign language

- Psychology of colors — Page 88
- Optimum distance for letter sizes — Page 89
- Braille — Page 90
- Installation options — Page 91-92
- Pictograms — Page 93-96
- Demo Mirtec Technical planing & Project Specification — Page 98
- Index — Page 99



Did You Know?

That When You Select Products From Mirtec's Jupiter Series You also...

Become More Creative!

The exclusive and modern design of mirtec's products allows you to plan projects with a fresh outlook.
The artistic variations of the products are endless and that will enable you to obtain amazing design results.
At the Expo-2002 Orlando exhibition our stand was visited by large numbers of designers who expressed considerable interest in our products.
A designer connected to N.A.S.A expressed especial interest in our products and commented "They are futuristic, They are great, They are complete".

Discover Your Printer

Once you have purchased a MIRTEC modular system, all you need do is add your own graphic design, print on your printer and insert in your MIRTEC panoramic modular sign.
You can also refer to MIRTEC'S interenet site for pictograms that are in international use.

Time Is Money!

When you wish to change The graphics in your Mirtec modular system all you need to do is to print your new message on your printer and replace the old printed paper. There is no need for a new installation.You don't have to approach any sign makers.
Your MIRTEC modular sign is flexible just for your needs.It is that simple! Remember, time is money.

No Need For Maintenance!

Our products are manufactured from anodize aluminum to stringent high standards and do not require any painting.
Our panoramic signs are ready for easy installation and immediate use and are designed to last for years.

You Don't Have To Compromise!

Our considerable range of possibilites and sizes allows you maximum flexibility in arriving at your ultimate choice.







Jupiter
Jupiter System

Jupiter

Interior Sign Design

Mix and Match to Create Customized Designs

Mirtec's patent pending mix and match system is a true breakthrough concept in the industry. This new line of interchangeable decorative elements, enabling unlimited design creativity, was developed with the architect and interior designer in mind. Pick and choose from an assortment of colors, shapes, and forms to create customized motifs for interior signs that provide direction, safety, and guidance.

Sign profiles are made from high quality aluminum 6063 with an anodized or oven cured coating. Aluminum or ABS plastic connectors are designed for easy removal.

The decorative elements, made from aluminum, are specially treated to create a luxurious look. Each part is gently stone polished in a process that requires several hours and then anodized guaranteeing an exceptionally high quality finish.

Use one panel as a wall plaque or attach two panels back-to-back to create two sided projecting and ceiling mounted signs. Signs are mounted on walls by a unique hidden mounting system or adhesive strips. Interior signs accept regular paper printed with text and graphics for simple, user friendly management.

Sign fronts can also be engraved, laminated, silk screened, imprinted with Braille, or photometal finished.

A nonreflective acrylic cover is easily removed to allow changes as needed.

Mix & Match to Create Customized Design

Mirtec's patent pending *Mix & Match* system is a true breakthrough concept in the industry. This new line of interchangeable decorative elements, enables unlimited design creativity.

Pick and choose from an assortment of colors, shapes,and forms to create customized motifs for interior signs that provide direction,safety, and guidance.

The decorative elements are made from aluminum with an anodised finish.

Decorative combination elements for indoor systems in a wide range of designs & colors.



Anodized Colors: Gold, Silver, Red ,Blue

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0859	50	1.9	60	2.4
2	Mir 0860	70	2.8	60	2.4
3	Mir 0861	110	4.3	100	3.9
4	Mir 0862	165	6.5	150	5.9

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.





OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0855	50	1.9	60	2.4
2	Mir 0856	70	2.8	60	2.4
3	Mir 0857	110	4.3	100	3.9
4	Mir 0858	165	6.5	150	5.9



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec® we speak sign language

Patent Pending 148158
www.imirtec.com

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0867	55	2.2	55	2.2
2	Mir 0868	80	3.1	80	3.1
3	Mir 0869	120	4.7	120	4.7
4	Mir 0870	180	7.1	180	7.1

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved,
vinyl & silk screened



OPTIONS						
NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH	
1	Mir 0863	55	2.2	60	2.4	
2	Mir 0864	80	3.1	70	2.8	
3	Mir 0865	120	4.7	90	3.5	
4	Mir 0866	180	7.1	100	3.9	

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, SIilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0886	55	2.2	150	5.9
2	Mir 0887	80	3.1	180	7.1
3	Mir 0888	120	4.7	200	7.9
4	Mir 0889	180	7.1	220	8.7



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Sliiver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.





OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0874	50	1.9	60	2.4
2	Mir 0875	70	2.8	60	2.4
3	Mir 0876	110	4.3	100	3.9
4	Mir 0877	165	6.5	150	5.9



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec
we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.NL

OPTIONS						
NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH	
1	Mir 0945	55	2.2	200	7.9	
2	Mir 0946	80	3.1	300	11.8	
3	Mir 0947	120	4.7	400	15.7	
4	Mir 0948	180	7.1	500	19.7	

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Sliiver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.





OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 0937	55	2.2	60	2.4	
2	Mir 0938	80	3.1	100	3.9	
3	Mir 0939	120	4.7	150	5.9	
4	Mir 0940	180	7.1	200	7.9	



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0933	55	2.2	60	2.4
2	Mir 0934	80	3.1	100	3.9
3	Mir 0935	120	4.7	150	5.9
4	Mir 0936	180	7.1	200	7.9

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 0882	55	2.2	180	7.1	
2	Mir 0883	80	3.1	220	9.8	
3	Mir 0884	120	4.7	260	10.2	
4	Mir 0885	180	7.1	300	11.8	



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS ISO9001
IQNet REGISTERED DESIGN.NL

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0929	55	2.2	100	3.9
2	Mir 0930	80	3.1	130	5.1
3	Mir 0931	120	4.7	170	6.7
4	Mir 0932	180	7.1	200	7.9

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS						
NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH	
1	Mir 0941	55	2.2	100	3.9	
2	Mir 0942	80	3.1	120	4.7	
3	Mir 0943	120	4.7	100	5.9	
4	Mir 0944	180	7.1	130	5.9	



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved,
vinyl & silk screened



Mirtec
we speak sign language
Patent Pending 148158
www.imirtec.com
MEMBER
CERTIFIED QMS ISO9000
IQNet
REGISTERED DESIGN.IL

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0890	55	2.2	150	5.9
2	Mir 0891	80	3.1	180	7.1
3	Mir 0892	120	4.7	200	7.9
4	Mir 0893	180	7.1	220	8.7



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS						
NO.	PART	SIZE(A)		SIZE(B)		
		MM	INCH	MM	INCH	
1	Mir 0878	55	2.2	180	7.1	
2	Mir 0879	80	3.1	220	8.7	
3	Mir 0880	120	4.7	260	10.2	
4	Mir 0881	180	7.1	300	11.8	

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec
we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED ONE SI ISO9001
IQNet REGISTERED DESIGN.IL

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0921	55	2.2	100	3.9
2	Mir 0922	80	3.1	130	5.1
3	Mir 0923	120	4.7	170	6.7
4	Mir 0924	180	7.1	220	8.7

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.





OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0925	55	2.2	100	3.9
2	Mir 0926	80	3.1	130	5.1
3	Mir 0927	120	4.7	170	6.7
4	Mir 0928	180	7.1	200	7.9

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved,
vinyl & silk screened



Mirtec
we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0913	55	2.2	80	3.1
2	Mir 0914	80	3.1	100	3.9
3	Mir 0915	120	4.7	100	3.9
4	Mir 0916	180	7.1	100	13.9

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved,
vinyl & silk screened



OPTIONS						
		SIZE (A)		SIZE (B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 0917	55	2.2	100	3.9	
2	Mir 0918	80	3.1	130	5.1	
3	Mir 0919	120	4.7	170	6.7	
4	Mir 0920	180	7.1	240	9.4	



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved,
vinyl & silk screened



Jupiter

Mirtec® we speak sign language

Patent Pending 148158
www.imirtec.com

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0906	55	2.2	80	3.1
2	Mir 0907	80	3.1	120	4.7
3	Mir 0908	120	4.7	150	5.9
4	Mir 0909	180	7.1	200	8.7

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

Front can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 0909	55	2.2	120	5.9	
2	Mir 0910	80	3.1	170	6.7	
3	Mir 0911	120	4.7	225	8.3	
4	Mir 0912	180	7.1	280	11	



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved,
vinyl & silk screened



Mirtec® we speak sign language

Patent Pending 148158
www.imirtec.com

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0898	55	2.2	50	1.9
2	Mir 0899	80	3.1	60	2.4
3	Mir 0900	120	4.7	100	3.9
4	Mir 0901	180	7.1	150	5.9

CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0902	55	2.2	55	2.2
2	Mir 0903	80	3.1	80	3.1
3	Mir 0904	120	4.7	120	4.7
4	Mir 0905	180	7.1	180	7.1



CAPS: Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, SIlver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved,
vinyl & silk screened



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0871	80	3.1	150	5.8
2	Mir 0872	120	4.7	200	7.9
3	Mir 0873	180	7.1	250	9.8



CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS							
NO.	PART	SIZE(A)		SIZE(A1)		SIZE(B	
		MM	INCH	MM	INCH	MM	INCH
1	Mir 0957	80	3.1	55	2.2	300	11.8
2	Mir 0958	120	4.7	80	3.1	400	15.7
3	Mir 0959	180	7.1	80	3.1	500	19.7
4	Mir 0960	180	7.1	120	4.7	600	23.6



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec
we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED ONE SI ISO9000
IQNet REGISTERED DESIGN.IL

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(A1) MM	SIZE(A1) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0953	80	3.1	55	2.2	300	11.8
2	Mir 0954	120	4.7	80	3.1	400	15.7
3	Mir 0955	180	7.1	80	3.1	500	19.7
4	Mir 0956	180	7.1	120	4.7	600	23.6



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS								
NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(A1) MM	SIZE(A1) INCH	SIZE(B) MM	SIZE(B) INCH	
1	Mir 0949	80	3.1	55	2.2	300	11.8	
2	Mir 0950	120	4.7	80	3.1	400	15.7	
3	Mir 0951	180	7.1	80	3.1	500	19.7	
4	Mir 0952	180	7.1	120	4.7	600	23.6	



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec
we speak sign language
Patent Pending 148158
www.imirtec.com

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0961	55	2.2	300	11.8
2	Mir 0962	80	3.1	400	15.7
3	Mir 0963	120	4.7	600	23.6
4	Mir 0964	180	7.1	700	27.6



CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Gold, Sliilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0894	80	3.1	60	2.4
2	Mir 0895	110	4.3	70	2.8
3	Mir 0896	160	6.3	90	3.5
4	Mir 0897	220	8.7	100	3.9



ALUMINUM PROFILE:
Anodized Gold, Slilver

DESIGN ELEMENT
Anodized colors:
Gold, Silver, Blue, Red

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL

40 DECORATIVE ELEMENT for(Mir 0126)

NO.	PART	SIZE(B) MM	SIZE(B) INCH	DESCRIPION
1	Mir 0161C	55x10	2.16x0.39	
2	Mir 0161D	55x10	2.16x0.39	
3	Mir 0161E	55x10	2.16x0.39	
4	Mir 0162C	55x20	2.16x0.78	
5	Mir 0162D	55x20	2.16x0.78	
6	Mir 0162E	55x20	2.16x0.78	
7	Mir 0163C	55x55	2.16x2.16	
8	Mir 0163D	55x55	2.16x2.16	
9	Mir 0163E	55x55	2.16x2.16	
10	Mir 0502	55x45	2.16x1.77	
11	Mir 0503	55x45	2.16x1.77	
12	Mir 0504	25x25	0.98x0.98	
13	Mir 0505	25x20	0.98x0.78	
14	Mir 0506	25x25	0.98x0.98	

60 DECORATIVE ELEMENT for(Mir 0127)

NO.	PART	SIZE(B) MM	SIZE(B) INCH	DESCRIPION
1	Mir 0507	80x10	3.14x0.39	
2	Mir 0164C	80x20	3.14x0.78	
3	Mir 0164D	80x20	3.14x0.78	
4	Mir 0164E	80x20	3.14x0.78	
5	Mir 0165C	80x40	3.14x1.57	
6	Mir 0165D	80x40	3.14x1.57	
7	Mir 0165E	80x40	3.14x1.57	
8	Mir 0166C	80x80	3.14x3.14	
9	Mir 0166D	80x80	3.14x3.14	
10	Mir 0166E	80x80	3.14x3.14	
11	Mir 0508	80X60	3.14x2.36	
12	Mir 0509	80X60	3.14x2.36	
13	Mir 0510	35x35	1.37x1.37	
14	Mir 0511	35x20	1.37x0.78	
15	Mir 0512	35x35	1.37x1.37	

100 DECORATIVE ELEMENT for(Mir 0129)

NO.	PART	SIZE(B) MM	SIZE(B) INCH	DESCRIPION
1	Mir 0513	120x10	4.72x0.39	
2	Mir 0167C	120x20	4.72x0.78	
3	Mir 0167D	120x20	4.72x0.78	
4	Mir 0167E	120x20	4.72x0.78	
5	Mir 0168C	120x30	4.72x1.57	
6	Mir 0168D	120x30	4.72x1.57	
7	Mir 0168E	120x30	4.72x1.57	
8	Mir 0169C	120x120	4.72x4.72	
9	Mir 0169D	120x120	4.72x4.72	
10	Mir 0169E	120x120	4.72x4.72	
11	Mir 0514	120x80	4.72x3.14	
12	Mir 0515	120x80	4.72x3.14	
13	Mir 0516	55x45	2.16x1.77	
14	Mir 0517	55x30	2.16x1.18	
15	Mir 0518	55x45	2.16x1.77	

Anodized Colors: GOLD RED SILVER BLUE

150 DECORATIVE ELEMENT for(Mir 0131)

	NO.	PART	SIZE(B) MM	SIZE(B) INCH	DESCRIPION	
	1	Mir 0519	180x10	7.08x0.39		
	2	Mir 0212C	180x20	7.08x0.78		
	3	Mir 0212D	180x20	7.08x0.78		
	4	Mir 0212E	180x20	4.72x0.78		
	5	Mir 0213C	180x40	7.08x1.57		
	6	Mir 0213D	180x40	7.08x1.57		
	7	Mir 0213E	180x40	7.08x1.57		
	8	Mir 0501C	180x180	7.08x7.08		
	9	Mir 0501D	180x180	7.08x7.08		
	10	Mir 0501E	180x180	7.08x7.08		
	11	Mir 0520	180x120	7.08x4.72		
	12	Mir 0521	180x120	7.08x4.72		
	13	Mir 0522	80x65	3.14x2.55		
	14	Mir 0523	70x40	2.75x1.57		
	15	Mir 0524	90x70	3.54x2.75		
200mm	16	Mir 0519a	250x12	9.84x0.5		Mir 0132
221mm	17	Mir 0519b	273x12	10.7x0.15		Mir 0525
300mm	18	Mir 0519c	332x12	13.0x0.5		Mir 0170
	19	Mir 0658	332x38	13.0x1.5		Mir 0170

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.NL

Aluminum Connector





The Tic-Tac Aluminum system allows for large visual installations. This system allows for the profile to be attached with the use of aluminum connectors behind the sign without the need to deface the sign, thereby allowing clipping directly to the profile. The It is possible to use plastic or aluminum side caps. The profile which is made from aluminum 6063 and the aluminum connectors guarantee top quality and durable materials.



Assembly:
Double-sided adhesive

Assembly:
Front peneration screw



Assembly:
Hidden aluminum connector with screw

OPTIONS ■								
		SIZE(A)		SIZE(B)				
				100	150	200	300	600
NO.	PART	MM	INCH	3.9	5.9	7.8	11.8	23.6
1	Mir 0973	40	1.5	■	■	■	■	■
2	Mir 0974	60	2.3	■	■	■	■	■
3	Mir 0975	80	3.1	■	■	■	■	■
4	Mir 0976	100	3.9	■	■	■	■	■
5	Mir 0977	120	4.7	■	■	■	■	■
6	Mir 0978	150	5.9	■	■	■	■	■
7	Mir 0979	200	7.8	■	■	■	■	■
8	Mir 0651	217	8.5	■	■	■	■	■
9	Mir 0979A	221	8.7	■	■	■	■	■

CAPS: Plastic ABS Black, Grey \Aluminum

ALUMINUM PROFILE:
Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, vinyl , Braille & ADA application photometal, regular paper & plastic scratch resistant.

DIMENSIONS



A		Z	
MM	INCH	MM	INCH
40	1.5	11	0.43
60	2.3	13	0.51
80	3.1	13	0.51
100	3.9	16	0.63
120	4.7	18	0.71
150	7.0	21	0.83
200	7.8	22	0.87
217	8.4	21	0.83
221	8.7	21	0.83

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com

Pictograms

OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 0980	100	3.9	100	3.9	
2	Mir 0981	120	4.7	120	4.7	
3	Mir 0982	150	5.9	150	5.9	
4	Mir 0983	200	7.8	200	7.8	



CAPS: Aluminum,
Plastic ABS Black,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, vinyl , regular paper & plastic scratch resistant.



Model Y



Model H
only for 60 mm

Desk Top

OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 0965	40	1.5	150	5.9	
2	Mir 0966	60	2.3	150	5.9	
3	Mir 0967	80	3.1	150	5.9	
4	Mir 0968	100	3.9	150	5.9	
5	Mir 0652	150	5.9	150	5.9	

CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Gold, Slilver

Front can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com

Options

Attached Bases

OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 0996	100	7.8	100	7.8	
2	Mir 0997	120	4.7	120	4.7	
3	Mir 0998	150	5.9	150	5.9	
4	Mir 0999	200	7.8	200	7.8	
5	Mir 0653	300	11.8	300	11.8	
6	Mir 0654	400	15.7	400	15.7	

ATTACHED BASES:
CAPS:Aluminum
BASE: Aluminum

ALUMINUM PROFILE:
Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, vinyl , regular paper & plastic scratch resistant.



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(A1) MM	SIZE(A1) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0992	120	4.7	100	3.9	600	23.6
2	Mir 0993	150	5.9	100	3.9	600	23.6
3	Mir 0994	200	7.8	120	4.7	800	31.4
4	Mir 0995	200	7.8	150	5.9	800	31.4



CAPS: Aluminum \ Plastic ABS
Black ,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, regular paper, vinyl & plastic scratch resistant.



Mirtec
we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED CLASS ISO9000
IQNet REGISTERED DESIGN.IL



OPTIONS

NO.	PART	SIZE(A MM	SIZE(A INCH	SIZE(A1) MM	SIZE(A1) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0988	80	3.1	60	2.3	600	23.6
2	Mir 0989	100	3.9	80	3.1	600	23.6
3	Mir 0990	120	4.7	80	3.1	600	23.6
4	Mir 0991	150	5.9	100	3.9	600	23.6



CAPS: Aluminum, Plastic ABS , Black,Grey

ALUMINUM PROFILE: Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, vinyl , regular paper & plastic scratch resistant.





OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(A1) MM	SIZE(A1) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0984	100	3.1	80	3.1	500	19.6
2	Mir 0985	150	4.7	100	3.9	500	19.6
3	Mir 0986	150	7.1	120	4.7	800	31.4
4	Mir 0987	200	7.1	120	4.7	800	31.4



CAPS: Aluminum
Plastic ABS:Black,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, vinyl , regular paper & plastic scratch resistant.



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.IL



Aluminum DUOsided Cap

ABS UNIsided Caps





DUOSIDED

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 1000	80	3.1	300	11.8
2	Mir 1001	100	3.9	400	15.7
3	Mir 1002	120	4.7	600	23.6
4	Mir 1003	150	5.9	700	27.6
5	Mir 0655	200	7.8	600	23.6
6	Mir 0656	300	11.8	700	27.6



CAPS: Aluminum
Plastic ABS:Black,Grey

ALUMINUM PROFILE:
Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, vinyl , regular paper & plastic scratch resistant.



Special A4

From The Printer to Frame A4

D.I.Y Indoor Sign

- *Create your own computer graphics on standard paper*
- *Sophisticated results to suit your personal requirements*
- *Wide range of sizes for a veriety of uses*
- *Graphics from your pc. drawings, texts,etc...*
- *Simple & easy to assemble on every type of surface*
- *Clear Scratch resistant plastic cover*
- *Sophisticated results with high quality finish*

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir0132a	221	8.7	280	11
1	Mir0132a	221	8.7	140	5.5



CAPS: Aluminum / Plastic

ALUMINUM PROFILE: Anodized Gold, Slilver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, vinyl , regular paper & plastic scratch resistant.

Mirtec® we speak sign language

Patent Pending 148158

www.imirtec.com

Panle Extrusion

NEW! 2007



Mir 0624
220mm /8.66 inch

Mir 0623
146mm /5.51 inch

Mir 0622
116mm /4.56 inch

Length 2050mm / 80.7inch



Mirtec´s policy of supporting architects, designers and sign professionals was one of the strongest factors in introducing the new panel extrusions.

After receiving enquiries regarding the availability of a non-insert sign face, Mirtec´s team of conceptual designers and technicians created this modular, interchangeable non-insert panel extrusion. The new extrusions are an excellent solution for facade application in areas which do not require updates.

Sign fronts can be engraved,laminated, laser printed, a photo-metal finishapplied etc. Jupiter panel extrusions are provided with caps which encase the open sides and undetectable aluminium facade connectors to form an elegant and vandal safe way-finding solution

OPTIONS

		SIZE(A)		Length SIZE(B)				
				100	150	200	300	600
NO.	PART	MM	INCH	3.9	5.9	7.8	11.8	23.6
1	Mir 0622	116	4.56	■	■	■	■	■
2	Mir 0623	146	5.51	■	■	■	■	■
3	Mir 0624	220	8.66	■	■	■	■	■

CAPS: Plastic ABS Black, Grey Aluminum

ALUMINUM PROFILE:
Anodized Silver

FRONT can also be engraved, laminated, silk screened, imprinted with braille, photometal, vinyl , regular paper & plastic scratch resistant.

DIMENSIONS



A		Z	
MM	INCH	MM	INCH
100	3.94	16	0.63
120	4.72	18	0.71
200	7.87	21	0.87

Mir 0973 — 40mm

40 x 11 x Length

1.5" x 0.43x Length"

Insert size-37mm

100mm *3.93"*

120mm *4.72"*

150mm / *5.90"*

200mm / *7.87"*

221mm / *8.70"*

300mm / *11.8"*

317mm / *12.5"*

400mm / *15.7"*

445mm / *17.5"*

100mm

500mm / *19.6"*

605mm / *23.8"*

Mir 0974 — 60mm

60 x 13 x Length

2.3" x 0.51x Length"

Insert size-57mm

100mm *3.93"*

150mm *5.90"*

200mm / *7.87"*

221mm / *8.70"*

250mm / *9.80"*

300mm / *11.8"*

100mm

317mm / *12.5"*

400mm / *15.7"*

445mm / *17.5"*

500mm / *19.6"*

605mm / *23.8"*

Mir 0975 — 80mm

80 x13 x Length

3.1" x 0.51x Length"

Insert size-77mm

100mm *3.93"*

200mm *7.87"*

221mm / *8.70"*

250mm / *9.80"*

300mm *11.8"*

317mm / *12.5"*

400mm / *15.7"*

445mm / *17.5"*

500mm / *19.6"*

605mm / *23.8"*



Assembly Information

Mirtec® we speak sign language

Patent Pending 148158

www.imirtec.com

seg MEMBER

CERTIFIED QMS ISO9000

IQNet REGISTERED DESIGN.NL

Mir 0976 — 100mm

100 x 16 x Length
3.9" x 0.63x Length"
Insert size-97mm



Length 2050mm / 80.7"

Mir 0977 — 120mm

120 x 18 x Length
4.7" x 0.71x Length"
Insert size-117mm



Length 2050mm / 80.7"

Mir 0978 — 150mm

150 x 21 x Length
5.9" x 0.83x Length"
Insert size-147mm





Length 2050mm / 80.7"

Mir 0979 — 200mm

200 x 22 x Length
7.8" x 0.87x Length"
Insert size-197mm





Length 2050mm / 80.7"

Mir 0979E

217mm

217 x 21 x Length

8.54" x 0.83x Length"

Insert size-214mm





Mir 0979A

221mm

221 x 21 x Length

8.70" x 0.83x Length"

Insert size-218mm



Length 2050mm / 80.7"



COMBINATION



Mirtec® we speak sign language

Patent Pending 148158

www.imirtec.com

seg MEMBER

CERTIFIED QMS SI ISO9000

IQNet REGISTERED DESIGN.IL

100mm — 100 x 16 x Length
3.9" x 0.62x Length"

Insert size-97mm



120mm — 120 x 18 x Length
4.7" x 0.71x Length"

Insert size-117mm



150mm — 150 x 42 x Length
5.9" x 1.63x Length"

Insert size-147mm



200mm — 200 x 44 x Length
7.8" x 1.74x Length"

Insert size-197mm



221mm — 221 x 44 x Length
8.7" x 1.74x Length"

Insert size-218mm



300mm — 300 x 46 x Length
11.8" x 1.8x Length"

Insert size-297mm



Options


1.


2.


3.

4.

IMPORTANT!

MIRTEC products have been researched, designed and developed from long experience with working with architects and designers in the modular sign industry.
The modular system that has evolved is easy to install and maintain and this produces considerable added value to the already aesthetic product.
The finished product has been ingeniously engineered to provide for a modular system that requires no welding or painting.
All the parts in the system are positioned and connected with screws.
The product has a smooth finish and is gentle to the touch.



Ori Orion

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
seg MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL

Orion

Indoors or Out – Signs with a Flair

Versatile Indoor/Outdoor Sign Solutions

Mirtec's line of versatile indoor/outdoor signs are distinguished by their sleek, slim edged design. These finely crafted signs add style and prestige to any surroundings. Flexibility is the guiding principle of Mirtec's Orion line.
An almost unlimited range of dimensions is available to answer any requirement, including very large sizes.

These signs are constructed from aluminum 6063 and anodized or powder coated. The sign plate is available in aluminum,stainless steel or PVC.

One directional or two directional signs can be mounted on walls or projecting, hanging, and freestanding. Several base options are available allowing the designer to create an attractive wayfinding system for any environment.

Parts 300-600mm



CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONTAGE
Aluminum,Stainless steel,

- Aluminum Extrusion 6063
- Fullly modular sign,
- Suitable for UNIsided & Duosided signs.
- The sign plate is available in aluminum, Stainless steel.
- Aluminum caps.
- Flat element for clean stylish finish.

One Frame 500-1200mm



Mirtec we speak sign language
Patent Pending 148158
www.imirtec.com

INTERCHANGEABLE OPTION

- *Aluminum Extrusion 6063*
- *Fullly modular sign,*
- *Suitable for UNIsided & Duosided signs.*
- *The sign plate is available in aluminum, Stainless steel .*
- *Flat element for clean stylish finish.*

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 1064	300	11.8	500	19.6
2	Mir 1065	400	15.7	600	23.6
3	Mir 1066	600	23.6	800	31.4
4	Mir 1067	600	23.6	1200	47.2



CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONTAGE
Aluminum,Stainless steel,

DIMENSIONS



A MM	A INCH	Z MM	Z INCH
500	19.7	40	1.57
600	23.6	45	1.77
700	27.5	50	1.96
800	31.4	50	2.8
900	35.4	55	2.16
1000	39.3	60	2.36
1100	43.3	65	2.55
1200	47.2	70	2.75

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 0657	500	19.6	200	7.8
2	Mir 1068	600	23.6	200	7.8
3	Mir 1069	900	35.4	300	11.8
4	Mir 1070	1000	39.3	300	11.8
5	Mir 1071	1200	47.2	400	15.7

CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONTAGE
Aluminum,Stainless steel,
P.V.C.



Mirtec we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL

Duosided STANDS

Attached Base

Elevated Strutted Base

Elevated Hidden Base

Length 3000mm / 118 inch SILVER

- Aluminum profiles 6063
- Fully modular sign,
- Suitable for UNIsided & Duosided stands.
- Several base options are available.
- Flat element for clean stylish finish.

40x40mm



60x40mm



80x40mm



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 1076	600	23.6	1500	59
2	Mir 1077	600	23.6	2000	78.7
3	Mir 1078	900	35.4	2000	78.7
4	Mir 1079	1000	39.3	2000	78.7



BASE: Steel Black
CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONTAGE
Aluminum,Stainless steel,
P.V.C.

DIMENSIONS



A MM	A INCH	Z MM	Z INCH
500	19.7	80	3.14
600	23.6	90	3.54
700	27.5	100	3.93
800	31.4	100.6	4.17
900	35.4	110	4.33
1000	39.3	120	4.72
1100	43.3	130	5.11
1200	47.2	140	5.51

OPTIONS

NO.	PART	SIZE (A) MM	SIZE (A) INCH	SIZE (B) MM	SIZE (B) INCH
1	Mir 1072	900	35.4	400	15.7
2	Mir 1073	900	35.4	600	23.6
3	Mir 1074	1000	39.3	500	19.6
4	Mir 1075	1200	47.4	600	23.6

BASE: Steel Black

CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONTAGE
Aluminum,Stainless steel,



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
seg MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.NL

Mir 0853
300mm
300 x 32 x Length
11.8" x 1.26x Length"
Insert size-297mm



Mir 1064
400mm
400 x32 x Length
15.7" x 1.3x Length"
Insert size-397mm



Mir 1094
420mm
420 x40 x Length
16.5" x 1.57x Length"
Insert size-417mm



Mir 1065

500mm 500 x40 x Length

19.7" x 1.57x Length"

Insert size-497mm



Mir 1066

600mm 600 x45 x Length

23.6" x 1.77x Length"

Insert size-597mm



Mirtec® we speak sign language

Patent Pending 148158

www.imirtec.com

segd MEMBER

CERTIFIED QMS SI ISO9000

TQNet® REGISTERED DESIGN.IL

Mir 1076
600mm
600 x45 x Length
23.6" x 3.5x Length"
Insert size-597mm



600mm /1500 23.6"/59.0 | 600mm /1500 23.6"/59.0 | 600mm /2000 23.6"/78.7 | 600mm /2000 23.6"/78.7

STANDS



300mm /1500 11.8/59.0 | 400mm /1500 15.7"/59.0 | 500mm /2000 19.6"/78.7 | 500mm /2000 19.6"/78.7

STANDS



700mm/2000 *27.5"/78.7*



700mm/2000 *27.5"/78.7*

TRIO STANDS



500mm/2000 *19.6"/78.7*



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL

Architectural Sign Systems

We Speak Sign Language

Mirtec®
We Speak Sign Language

Are You Interested In Preserving THE OZONE LAYER?

The arched panoramic construction of the Mercury system is interesting beyond its aesthetic appearance and has additional illuminated signs.

The physical characteristics of the acrylic covering provides a tough surface, when the material is curved and with a thinner acrylic it is possible to produce the same illuminated sign.

The curved construction of the sign allows the illumination to reflect off the acrylic at a convenient angle and in this way reduces the wings of the illumination by up to 30%.

The result of a thinner acrylic with fewer illuminated wings provides for up to 30% savings in electricity.













Mirtec® we speak sign language

Patent Pending 148158
www.imirtec.com

Mercury

Form and Function
Indoor/Outdoor Signs

Form Meets Function in These Indoor/Outdoor Signs

Mirtec's line of indoor/outdoor utility signs features an attractive curved body with a stylish narrow border that reflects modern day architectural principles.This utility line is designed to enable any freestanding sign to be converted into a multi-use information and display center for reception areas,stores, trade shows, or other uses. aspecial front panel grid can be attached to hang smail items.
Accessories available include trays and holders for brochures, pamphlets & flayers. the modular design enables constructing one or two-sided illuminated signs or combining three panels to create a three-way display center. A unique edge allows incorporating separate text and decorative elements for a completely customizable solution to any customer's wayfinding needs.

The signs are constructed from aluminum 6063 and anodized or powder coated. Sign plates are available in Perspex, aluminum, stainless steel, or PVC. Choose from two styles of plastic or aluminum covers – smooth or raised edge.

An optional internal lighting system is available for illuminated signs or combined with emergency lighting in strategic areas. Signs can be one or double sided and attached directly to walls, hung from ceilings, or freestanding. A selection of ground level and elevated steel bases is available.

UNIsided



Length 3000mm / 118 inch SILVER

- *Aluminum Profiles 6063*
- *Fully Modular Sign*
- *The Sign Plates are Available in Acrylic, Natural Aluminum, Stainless steel*
- *Durable*
- *An Optional internal Lighting system is available for illuminated signs or combined with emergency lighting in strategic areas*







OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(Length=B) 600 / 23.6	900 / 35.4	1300 / 51.1	1500 / 59.0	2000 / 78.7
1	Mir 1004	300	11.8	■	■	■		■
2	Mir 1005	400	15.7	■	■	■		■
3	Mir 1006	500	19.6		■		■	■
4	Mir 1007	600	23.6	■	■		■	■
5	Mir 1008	700	27.5		■	■	■	■
6	Mir1009	800	31.4			■	■	■
7	Mir 1010	900	35.4	■	■	■	■	■
8	Mir 1011	1000	39.3	■		■		■

CAPS:Aluminum-Grey
Plastic-Black

ALUMINUM PROFILE:
Anodized Slilver

FRONT
Acrylic, Policarbonad,
Stainless steel,Aluminum

DIMENSIONS



A MM	A INCH	Z MM	Z INCH
300	11.8	100	4
400	15.7	125	5
500	19.7	130	5
600	23.6	155	6
700	27.6	175	7
800	31.4	175	7
900	35.4	185	7
1000	39.3	195	7.5

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com

DUOsided



Length 3000mm / 118 inch SILVER

- *Aluminum Profiles 6063*
- *Fully Modular Sign*
- *The Sign Plates are Available in Acrylic, Natural Aluminum, Stainless steel*
- *Durable*
- *An Optional internal Lighting system is available for illuminated signs or combined with emergency lighting in strategic areas*

Aluminum Cap



Vacum Cap



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B=Length) 600 / 23.6	900 / 35.4	1300 / 51.1	1500 / 59.0	2000 / 78.4
1	Mir 1012	300	11.8	■	■	■		■
2	Mir 1013	400	15.7	■	■	■		■
3	Mir 1014	500	19.6		■		■	■
4	Mir 1015	600	23.6	■	■		■	■
5	Mir 1016	700	27.5		■	■	■	■
6	Mir1017	800	31.4			■	■	■
7	Mir 1018	900	35.4	■	■	■	■	■
8	Mir 1019	1000	39.3	■				■

CAPS:Aluminum-Grey
Plastic-Black

ALUMINUM PROFILE:
Anodized Slilver

FRONT
Acrylic, Policarbonad, Stainless steel,Aluminum

DIMENSIONS



A MM	A INCH	Z MM	Z INCH
300	11.8	173	7
400	15.7	210	8
500	19.7	230	9
600	23.6	270	10.5
700	27.6	315	12.5
800	31.4	330.5	13
900	35.4	330.5	14
1000	39.3	340	13.5

STANDS

Mir 0476 — **1000 mm** / 47.24 inch

Mir 0475 — **900 mm** / 43.30 inch

Mir 0474 — **800 mm** / 39.37 inch

Mir 0473 — **700 mm** / 27.6 inch

Mir 0472 — **600 mm** / 23.6 inch

Mir 0471 — **500 mm** / 19.7 inch

Mir 0470 — **400 mm** / 15.7 inch

Mir 0469 — **300 mm** / 11.8 inch





Length 3000mm / 118 inch

SILVER

DIMENSIONS



A		Z	
MM	INCH	MM	INCH
300	11.8	173	7
400	15.7	210	8
500	19.7	230	9
600	23.6	270	10.5
700	27.6	315	12.5
800	31.4	330.5	13
900	35.4	330.5	14
1000	39.3	340	13.5

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) 1000 / 39.3	SIZE(B) 1500 / 59.0	SIZE(B) 2000 / 78.7
1	Mir 1020	300	11.8	■	■	
2	Mir 1021	400	15.7		■	
3	Mir 1022	500	19.6	■	■	■
4	Mir 1023	600	23.6	■	■	■
5	Mir 1024	700	27.5		■	■
6	Mir 1025	800	31.4	■		■
7	Mir 1026	900	35.4	■		■
8	Mir 1027	1000	39.3		■	■

- *Aluminum Profiles 6063*
- *Fully Modular Sign*
- *Durable*
- *Water Protected*
- *An Optional internal Lighting system is available for illuminated signs or combined with emergency lighting in strategic areas*

CAPS: Aluminum-Grey
Plastic-Black
BASE: Steel Black

ALUMINUM PROFILE:
Anodized Sliver

FRONT
Acrylic, Policarbonad,
Stainless steel, Aluminum



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com







TRIO STANDS

OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 1028	400	15.7	1500	59
2	Mir 1029	600	23.6	2000	78.7
3	Mir 1030	800	31.4	2000	78.7
4	Mir 1031	1000	39.3	2000	78.7

CAPS: Aluminum-Grey
Plastic-Black
BASE: Steel Black

ALUMINUM PROFILE:
Anodized Slilver

FRONTAGE
Acrylic, Policarbonad,
Stainless steel, Aluminum

UNIsided

Mir 1004
300mm
300 x 100 x Length
11.8" x 3.9x Length"
Insert size-320mm



300mm 11.8" 600mm 23.6" 900mm 35.4"

Mir 1005
400mm
400 x 125 x Length
15.7" x 4.9x Length"
Insert size-430mm



300mm 11.8" 600mm 23.6" 900mm 35.4"

Mir 1006
500mm
500 x 130 x Length
19.7" x 5x Length"
Insert size-530mm

900mm 35.4"

1500mm 59.0"

Mir 1007
600mm
600 x 155 x Length
23.6" x 6x Length"
Insert size-634mm



600mm 23.6" 900mm 35.4"

UNIsided

Mir 1008
700mm
700 x 175 x Length
27.5" x 7x Length"
Insert size-750mm

900mm35.4"



Mir 1009
800mm
800 x 175 x Length
31.4" x 7x Length"
Insert size-850mm

900mm35.4"

Mir 1010
900mm
900 x 185x Length
35.4" x 7.3x Length"
Insert size-950mm

600mm23.6"

900mm35.4"

1300mm
51.1"

1300mm51.1"

DUOsided

Mir 1012
300mm
300 x 173 x Length
11.8" x 7x Length"
Insert size-320mm



300mm 11.8" 600mm 23.6" 900mm 35.4"

Mir 1013
400mm
400 x 210 x Length
15.7" x 8x Length"
Insert size-430mm



300mm 11.8" 600mm 23.6" 900mm 35.4"

Mir 1014
500mm
500 x 230 x Length
19.7" x 9x Length"
Insert size-530mm

900mm 35.4"

1500mm 59.0"

Mir 1015
600mm
600 x 270 x Length
23.6" x 10.5x Length"
Insert size-634mm



600mm 23.6" 900mm 35.4"

DUOsided

Mir 1016
700mm
700 x 315 x Length
27.5" x 12.5x Length"
Insert size-750mm

900mm35.4"



Mir 1017
800mm
800 x 330 x Length
31.4" x 13x Length"
Insert size-850mm

900mm35.4"

Mir 1018
900mm
900 x 330x Length
35.4" x 13x Length"
Insert size-950mm

600mm23.6"



900mm35.4"

1300mm
51.1"

1300mm51.1"

Mir1019

1000mm

1000 x 340 x Length

39.3" x 13.3x Length"

Insert size-1040mm

900mm35.4"

Mir1022

500mm

500 x230 x Length

19.7" x 9x Length"

Insert size-530mm





1500mm59.0"

Mir 1029

600mm

600 x270 x Length

23.6" x 10.5x Length"

Insert size-634mm



600mm /2000 23.6"/78.7

Mirtec® we speak sign language

Patent Pending 148158

www.imirtec.com

segd MEMBER

CERTIFIED QMS SI ISO9000

IQNet REGISTERED DESIGN.IL

Architectural Sign Systems

We Speak Sign Language

Mirtec®
We Speak Sign Language

MIRTEC'S Products Interface With ...

Offices, Public Buildings
A large variety of options and sizes are available that blend and match their surroundings and there is a system just for you!

Product Signs
It is possible to interface with internal illumination so that the products almost seem real.

Directional Signs For Different Floor Levels
These signs are often your customers first contact with the business and reflect the "Corporate image"
The system is harmonious with the internal signs and it is possible to interface with considerable graphic images.

Emergency Lighting Signs
Security and safety signs can operate like an emergency lantern during times of electricity failure.

Outdoor Directional Signs
various stands are available for supporting signs in outdoor locations such as industry, public institutions and parks.

Parking Areas
MIRTEC products maintain their aesthetic appearance even when utilised for the restricted spaces of parking lots.

Advertising Signs
With two levels of acrylic, one opaque and one transparent it is possible to change the advertisement without the need for applying adhesive.

Neon Protection
There are almost no hidden surfaces in the sign system and therefore with the protection provided by transparent perspex one will avoid coming into direct contact with electricity in the event of damages caused by breakage or inclement weather.

Mirtec® We speak sign language
Patent Pending 148158
www.imirtec.com

Uranus

Wayfinding in Style

Stylish, Sturdy Illuminated Indoor/Outdoor Signs

Mirtec's line of highly durable indoor/outdoor signs features an attractive curved body with a wide edge that enhances readability. The Uranus line is designed to integrate completely with Mirtec's other sign systems. All aluminum 6063 construction imparts a luxurious look to any building or complex. These versatile signs are available in an almost unlimited range of dimensions to answer every signage need.

The sign front is available in Perspex, aluminum, stainless steel or PVC.
The signs are faced with acrylic or UV resistant coating.
A water protected, low maintenance, optional internal lighting unit for illuminated signs ensures 24-hour peace of mind. Both one and double sided signs are available.
The signs can be attached directly to walls, hung from ceilings, or freestanding.

Uranus Slim

DIMENSIONS

A		Z	
MM	INCH	MM	INCH
600	23.6	43	1.7
800	31.4	53	2.1
1000	39.3	63	2.5
1200	47.2	75	3

The **New Uranus Slim** Profile was engineered to provide a solution for suspended signs where the mounting surface is unable to support heavier systems.
A highly durable range of elegant and low maintenance interior/exterior signs.
The gently arching curve and the sleek contour of the side profiles make a bold architectureal statment for primary entrance ID signs, Parking Directionals, Malls, Shopping Centers, Commercial Buildings, Healthcare facilities, etc.

Uranus Junior

DIMENSIONS

A		Z	
MM	INCH	MM	INCH
300	11.8	64	5.27
400	15.7	74	6.29
500	19.7	89	6.77
600	23.6	100	7.87

Length 3000mm / 118 inch SILVER

Uranus

DIMENSIONS

A		Z	
MM	INCH	MM	INCH
600	23.6	134	5.27
700	27.5	160	6.29
800	31.4	172	6.77
900	35.4	200	7.87
1000	39.3	224	8.81
1100	43.3	246	9.68
1200	47.2	268	10.5

Length 3000mm / 118 inch SILVER

Uranus Senior and Junior ar compatible with the easy installation of both LED and Neon illuminatun components.

- An almost unlimited range of sizes.
- The versatile and highly durable extrusions Uranus Senior and Junior create illumminated and non-illuminated single sided wall plaques and directionals,as well as double sided freestanding and suspended signage.
- As a perfect complement to all Mirtec Systems, the integration of Uranus signs into a way-finding project allows for a complete coverage of all orientaion aspects.
- The combination of illuminated signs using an opaque sign face and internalillumination with non-illuminated signs are the perfect way-finding solution in such public areas as Malls,Museums, Healthcare facilities etc.
- Sign plates are available in polycarbonate(opaque), aluminum or stainless steel.
- Standard profiles in silver anodizes are available.
  The option of RAL Powder coating is available on request.



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
seg MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.IL

Uranus Slim

DUOsided



Uranus Slim

OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 1084	600	23.6	200	7.8	
2	Mir 1085	800	31.4	300	11.8	
3	Mir 1086	1000	39.3	300	11.8	
4	Mir 1087	1200	47.2	300	11.8	



Uranus

OPTIONS						
		SIZE(A)		SIZE(B)		
NO.	PART	MM	INCH	MM	INCH	
1	Mir 1048	600	23.6	200	7.8	
2	Mir 1049	800	31.4	250	9.8	
3	Mir 1050	1000	39.3	300	11.8	
4	Mir 1051	1000	39.3	400	15.7	



CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONT
Acrylic, Policarbonad,
Stainless steel,Aluminum



Uranus Junior

DUOsided





Length 3000mm / 118 inch

SILVER

OPTIONS					
		SIZE(A)		SIZE(B)	
NO.	PART	MM	INCH	MM	INCH
1	Mir 1040	300	11.8	500	19.6
2	Mir 1041	400	15.7	600	23.6
3	Mir 1042	500	19.6	700	27.5
4	Mir 1043	600	23.6	1200	47.2



CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONT
Acrylic, Policarbonad,
Stainless steel,Aluminum



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
seg MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.IL

URANUS

UNIsided / DUOsided

Length 3000mm / 118 inch

SILVER

- Aluminum profiles 6063
- Fully modular sign,
- The sign plates are available in acrylic, aluminum,stainless steel.
- Durable
- A water protected
- Low maintenance
- An optional internal lighting unit available for illuminated signs

DUOsided

OPTIONS ■								
		SIZE(A)		SIZE(B)				
				600	900	1300	1500	2000
NO.	PART	MM	INCH	23.6	35.4	51.1	59.0	78.4
4	Mir 1035	600	23.6	■	■		■	■
5	Mir 1036	700	27.5		■		■	■
6	Mir1037	800	31.4				■	■
7	Mir 1038	900	35.4		■	■	■	■
8	Mir 1039	1000	39.3	■				■
9	Mir 1090	1100	43.3	■				
10	Mir 1091	1200	47.2	■				

CAPS: Aluminum

ALUMINUM PROFILE:
Anodized Slilver

FRONT
Acrylic, Policarbonad,
Stainless steel,Aluminum

DIMENSIONS



A		Z	
MM	INCH	MM	INCH
600	23.6	99	3.9
700	27.6	112	4.4
800	31.4	118	4.6
900	35.4	137	5.4
1000	39.3	144	5.7
1100	43.3	155	6.1
1200	47.2	166	6.5

DIMENSIONS



A		Z	
MM	INCH	MM	INCH
600	23.6	134	5.2
700	27.6	160	6.3
800	31.4	172	6.7
900	35.4	200	7.8
1000	39.3	224	8.8
1100	43.3	246	9.6
1200	47.2	268	10.5

DUOsided STANDS



Length 3000mm / 118 inch

SILVER

DIMENSIONS				
	A		Z	
	MM	INCH	MM	INCH
	600	23.6	134	4.4
	700	27.6	160	6.3
	800	31.4	172	6.7
	900	35.4	200	7.8
	1000	39.3	224	8.8
	1100	43.3	246	9.6
	1200	47.2	268	10.5

Uranus Junior

OPTIONS ■						
		SIZE(A)		SIZE(B)		
				1000	1500	2000
NO.	PART	MM	INCH	39.3	59.0	78.4
1	Mir 1052	300	11.8	■	■	■
2	Mir 1053	400	15.7		■	
3	Mir 1054	500	19.6	■	■	■
4	Mir 1055	600	23.6	■	■	■
5	Mir 1056	700	27.5		■	■
6	Mir 1057	800	31.4	■		■
7	Mir 1058	900	35.4		■	■
8	Mir 1059	1000	39.3	■		■
9	Mir 1092	1100	43.3	■		
10	Mir 1093	1200	47.2	■		

- *Aluminum profiles 6063*
- *Fully modular sign,*
- *The stands plates are available in acrylic, aluminum,stainless steel,*
- *Suitable for UNIsided & DUOsided stands*
- *A water protected*
- *Low maintenance*
- *An optional internal lighting unit available for illuminated signs*

CAPS: Aluminum
BASE: Steel Black

ALUMINUM PROFILE:
Anodized Sliver

FRONT
Acrylic, Policarbonad, Stainless steel,Aluminum



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com



OPTIONS

NO.	PART	SIZE(A) MM	SIZE(A) INCH	SIZE(B) MM	SIZE(B) INCH
1	Mir 1060	600	23.6	600	23.6
2	Mir 1061	600	23.6	1000	23.6
3	Mir 1062	800	31.4	1000	39.3
4	Mir 1063	1000	39.3	1200	47.2

CAPS: Aluminum
BASE: Steel Black

ALUMINUM PROFILE:
Anodized Slilver

FRONTAGE
Acrylic, Policarbonad,P.V.C
Stainless steel,Aluminum



Uranus Slim

Aluminum Extrusion











Overhead Directional Options



Mir1084 600mm *23.6"*

Mir1085 800mm *31.4"*

Mir 1086 1000mm *39.3"*



Mir1087 1200mm *47.2"*

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL

Uranus Junior UNIsided

Aluminum Extrusion



Mir 1032 — **300**mm — 300 *x* 62 *x* Length — *11.8" x 2.4x Length"*



200mm *7.80"*



400mm *15.7"*

Mir 1033 — **400**mm — 400 *x* 62 *x* Length — *15.7" x 2.4x Length"*

600mm *23.6"*

800mm *31.4"*

Mir 1034 — **500**mm — 500 *x* 73 *x* Length — *19.7" x 2.9x Length"*



400mm *15.7"*



500mm *19.7"*

600mm *23.6"*

800mm *31.4"*

Mir 1035 — **600**mm — 600 *x* 73 *x* Length — *23.6" x 2.9x Length"*



400mm *15.7"*

600mm *23.6"*

1200mm *47.2"*

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
seged MEMBER
CERTIFIED QMS SI ISO9000
IQNet REGISTERED DESIGN.IL

Uranus Junior DUOsided

Aluminum Extrusion



Mir 1040 — **300mm** — 300 *x* 62 *x* Length — *15.7" x 2.4x Length"*



200mm *7.80"*



400mm *15.7"*

Mir 1041 — **400mm** — 400 *x* 62 *x* Length — *15.7" x 2.4x Length"*

600mm *23.6"*

800mm *31.4"*

Mir 1042 — **500mm** — 500 *x* 73 *x* Length — *19.7" x 2.9x Length"*



400mm *15.7"*



500mm *19.7"*

600mm *23.6"*

800mm *31.4"*

Mir 1043 — **600mm** — 600 *x* 100 *x* Length — *19.7" x 3.9x Length"*



400mm *15.7"*

600mm *23.6"*

1200mm *47.2"*

Mirtec® we speak sign language

Patent Pending 148158
www.imirtec.com

segd MEMBER

CERTIFIED QMS SI ISO9000

IQNet® REGISTERED DESIGN/IL

Uranus UNI /DUOsided

Aluminum Extrusion



Mir 1089 — **600mm** — 600 *x* 134 *x* Length *23.6" x 5.2x Length"*

200mm *7.9"*

300mm *11.8"*



600mm *23.6"*

800mm *31.4"*

Mir 1047 — **1000mm** — 1000 *x* 224 *x* Length *39.3" x 8.8x Length"*



500mm *19.7"*



700mm *27.6"*

Mir 1084 — **1200mm** — 1200 *x* 268 *x* Length *47.2" x 10.5x Length"*



1200mm *47.2"*

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.IL

Mir 1055
600mm

STANDS

Insert size-000mm



Mir1061 600mm/1500 *23.6"/59.0*

Mir1055 600mm/1500 *23.6"/59.0*

Mir1055 600mm/1500 *23.6"/59.0*

Mir1055 600mm/1500 *23.6"/59.0*

Mir 1059
1000mm

STANDS

Insert size-000mm



1000mm/2000 *39.3"/78.7*

1000mm/2000 *39.3"/78.7*

Mirtec® we speak sign language

Patent Pending 148158
www.imirtec.com

sega MEMBER

CERTIFIED QMS SI ISO9000

IQNet REGISTERED DESIGN.IL

- *Psychology of colors* — *Page 88*
- *Optimum distance for letter sizes* — *Page 89*
- *Braille* — *Page 90*
- *Installation options* — *Page 91-92*
- *Pictograms* Free Download — *Page 93-96*
- *Demo Mirtec Technical Planning & Project Specification* — *Page 98*
- *Index* — *Page 99*

Architectural Sign Systems

We Speak Sign Language

Psychology Of Colors

Light Colors: *create an illusion of size and spaciousness, provide light and clarity to space and contribute a perception of cleanliness.*

Dark Colors: *reduce, diminish the amount of light and sometimes even darken spaces.*

The Power of Colors: *pastel varieties and pale colors are calming.intens, powerful colors are stimulating.*

Color Combination: *White & Black Grey & Black create an elegant and cold atmosphere. A combination of a number of dark colors creates a gloomy,somber and heavy atmosphere.*
Warm colors such as Red,Yellow, Brown and Orange create an inviting atmosphere.

RED:*warm,dynamic,stimulates, increases appetite, signals love and things from the heart. Profound red is aristocratic.*

YELLOW :*warm,happy, young, dynamic and full of vitality. Bright Yellow connects with sunlight and inspires a warm, glowing atmosphere (not recommended for bedrooms).*

GREEN: *calming, pastoral, designated as a cold color, indicates nature and vegetation, pleasant to the eye.Light Green indicates Spring and youth, but certain shades of Green connect to poison and jealousy.*

BLUE: *cold and calming. Connects to the various shades of the sky and ocean. Intense Blue indicates potential and the lighter shades indicate spontaneity and youth. Dark Blue shades communicate Royalty and Nobility.*

PURPLE: *transmits sophistication, almost doesn't exist in nature and therefore is regarded as artificial. Transmits an association with Royalty and is appropiate for elegant and prestigious places.*

BROWN: *warm, rich and varied. Indicates culture and prestige due to the connection to wood and leather. Certain shades can indicate sadness (falling of leaves).*

WHITE: *pure, virginal, clear. Indicates cleanliness, simplicity and clarity. Contributes to a sense of spaciousness and size. However it sometimes creates an appearance of sterility, commonplace and boredom.*

BLACK:*elegant, conservative. Automatically associated with night and also death. The use of Black on large surfaces will decrease the space and create an effect of darkness, but will produce a dramatic atmophere for those seeking this effect.*

GREY: *neutral, pleasant to the eye provided that the shade is not too dark. Contributes to concentration and does not disturb the eyes. For example, it is advisable to choose a grey office desk, even though Grey might not be in fashion.*

Judit Miller LONDON

METHOD COLOR -RAL



This colors are for illustration purposes only!

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
segd MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.IL

Arial

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Arial Black

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Helvetica

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Palatino

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Times New Roman

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

Sanvito

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789

The size of the letters has been determined by an optometrical test on a selection of persons with 6/6 vision.
The test was conducted on a day with optimum weather and natural light.



Optimum Distance for Letter Sizes

Mirtec® we speak sign language

Patent Pending 148158
www.imirtec.com

Braille Alphabet

The six dots of the braille cell are arranged and numbered

1 ● ● 4
2 ● ● 5
3 ● ● 6

The capital sign,dot6, placed before a letter makes a capital letter.

1 4
2 5
3 ● 6

The number sign,dots 3,4,5,6, placed before the characters a through j, makes the numbers 1 through 0.

1 ● 4
2 ● 5
3 ●● 6

a	b	c	d	e	f	g	h	i	j
	● ●	●● ●	●● ●●	● ●●	●● ●	●● ●●	●● ●●	● ●●	●● ●●
k	**l**	**m**	**n**	**o**	**p**	**q**	**r**	**s**	**t**
● ●	● ● ●	●● ●	●● ●●	● ●●	●● ●	●● ●●	● ●●	● ●	
	v	**w**	**x**	**y**	**z**	Capital Sign	Number Sign		
● ●●	● ● ●●	● ●● ●	●● ●●	●● ●●	● ●●	●	● ● ●●		


1.


2.


3.


4.


5.


6.


7.


8.


9.


10.


11.

12.


13.


14.


15.


16.


17.

18.


19.


20.


21.


22.


23.


24.



1.Connected horizontaly to a pole.



2.Connected to a pole with supports.



3.Connected centrally to a pole.



4.Horizontal connection between poles.



5.Vertical connection to pole.



6.Combine a number of sizes horizontally.



7.Combine a number of sizes vertically.



8.Combine a number of sizes vertically.



9.Installation suspended from the ceiling or wall or surface.



10.Stand with two legs.



11.Installation with a rad connected to the wall.



12. Installation on the corner of a building.



13.Suspension with hools.



14.Suspension by chain.

Free Download

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
seg MEMBER
CERTIFIED QMS ISO9001
IQNet REGISTERED DESIGN UL

Free Download

Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
MEMBER
CERTIFIED QMS ISO9000
IQNet REGISTERED DESIGN.NL

Free Download



Free Download

"...Keeping Thing in Prespective."

Now, THIS is really fascinating - it's rather dazzling to see it presented this way.









I certainly thought this was enlightening. beyond our sun ...
It's a big universe.



Antares is the 15th brightest star in the sky.

It is more than 1000 light years away.

Now how big are you?
And how big are the things that upset you day to day?
Or for that matter, the things that are important?

Keep life in prospective

Download
www.imirtec.com/project Spec.php
in PDF formate



A — Main Building Directories — Wall Frame, Information Displays, Pylons, Post Sign, Policy Signs. — 5
B — Wall Directories — Floor Directories, Wing Directories, Maps, Department Identification, Message Strips. — 11
C — Elevator Directories — Interior, Exterior. — 15
D — Overhead Directional — Suspended Signs, Ceiling Signs. — 19
E — Wall Frames — Room Identification, Nameplates, Cubicle Signs, Policy Signs, Regulation Sign. — 23
F — Wall Brackets — Symbol Signs, Projecting Signs, Flags, Wall Frames. — 27
G — Announcements — Information Stations, Recognition Boards. — 31
H — Table Stands — Desktop, Counter, Table Display. — 33
I — ADA Signs — ADA Requirements for Interior Signs, Braille. — 37
J — General — Psycology of Colors, RAL Code Pictograms, Optimum Distance for Letter Sizes, Fonts, Warranty. — 41
K — MIRTEC Products

Function & Purpose

The printed Guide is designed for client demonstration purposes. For the creation of specification for individual projects, It should be used in conjunction with the software provided; either on CD Rom, or directly through our international website using a private access code.

The Software affords the user the ability to create technically exact specifications by moving the technical drawings of the actual signs desired to the specific page and adding the details in the space provided.

To receive your Software, kindly contact the registered Mirtec Dealer in your area or contact Mirtec Directly:

www.imirtec.com

Mirtec — We Speak Sign Language — Architectural Sign Systems



A=150mm / 150mm
5.90 inch / 5.90 inch

PROJECT NAME
DATE ☐☐/☐☐/☐☐
☐ QUOTE ☐ ORDER
SIZE ____ SCALE ____
ALUMINUM PROFILE
Made from high quality aluminum 6063
☐ Natural Anodized ☐ Gold
☐ Other Paint Ral no. ☐☐☐☐
END CAPS
☐ Aluminum ☐ Natural
☐ Plastic ABS ☐ Black
☐ Grey
COVER
☐ Acrylic ☐ Clear Lens
☐ Petg ☐ Aluminum
☐ Policarbonate ☐ Stainless steel
INSERT \ GRAPHIC
☐ Engraved ☐ Photometal
☐ Laminated ☐ Sublimation
☐ Silk screened ☐ Paper
☐ Braille ☐ Vinyl
FONT ____ Size ____ ☐☐☐☐
ILLUMINATION
☐ Neon ☐ PL
☐ Cathode ☐ Led
ADA
Page no. ☐☐
INSTALLATION
☐ Aluminum connector
☐ Double sided adhesive
☐ Front peneration screw
Technical Instructions

Mirtec - Architectural Sign Systems

E — Wall Frames
150X150mm

sample

Demo Mirtec Technical Planning & Project Specification



Mirtec® we speak sign language
Patent Pending 148158
www.imirtec.com
seg MEMBER
CERTIFIED QMS ISO9001
IQNet REGISTERED DESIGN.IL

Mirtec®
we speak sign language

Architectural Sign Systems

We Speak Sign Language

"Everything should be made as simple as possible, but not one bit simpler"
- Albert Einstein

"Imagination is the beginning of creation. You imagine what you desire, you will what you imagine and at last you create what you will"
- George Bernard Shaw

"In order to be irreplaceable, one must always be different"
- Coco Chanel

"Art is the proper task of life"
- Friedrich Nietzsche

"To be properly expressed a thing must proceed from within, moved by its form"
- Meister Eckhart

©opyright Mirtec 2007